

PRIOR AUTHORIZATION POLICY

POLICY: Chenodal Prior Authorization Policy

Chenodal[™] (chenodiol tablets – Travere)

REVIEW DATE: 08/23/2023

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies, Certain Cigna COMPANIES AND/OR LINES OF BUSINESS ONLY PROVIDE UTILIZATION REVIEW SERVICES TO CLIENTS AND DO NOT MAKE COVERAGE DETERMINATIONS. REFERENCES TO STANDARD BENEFIT PLAN LANGUAGE AND COVERAGE DETERMINATIONS DO NOT APPLY TO THOSE CLIENTS. COVERAGE POLICIES ARE INTENDED TO PROVIDE GUIDANCE IN INTERPRETING CERTAIN STANDARD BENEFIT PLANS ADMINISTERED BY CIGNA COMPANIES. PLEASE NOTE, THE TERMS OF A CUSTOMER'S PARTICULAR BENEFIT PLAN DOCUMENT [GROUP SERVICE AGREEMENT, EVIDENCE OF COVERAGE, CERTIFICATE OF COVERAGE, SUMMARY PLAN DESCRIPTION (SPD) OR SIMILAR PLAN DOCUMENT] MAY DIFFER SIGNIFICANTLY FROM THE STANDARD BENEFIT PLANS UPON WHICH THESE COVERAGE POLICIES ARE BASED. FOR EXAMPLE, A CUSTOMER'S BENEFIT PLAN DOCUMENT MAY CONTAIN A SPECIFIC EXCLUSION RELATED TO A TOPIC ADDRESSED IN A COVERAGE POLICY. IN THE EVENT OF A CONFLICT, A CUSTOMER'S BENEFIT PLAN DOCUMENT ALWAYS SUPERSEDES THE INFORMATION IN THE COVERAGE POLICIES. IN THE ABSENCE OF A CONTROLLING FEDERAL OR STATE COVERAGE MANDATE, BENEFITS ARE ULTIMATELY DETERMINED BY THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT. COVERAGE DETERMINATIONS IN EACH SPECIFIC INSTANCE REQUIRE CONSIDERATION OF 1) THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT IN EFFECT ON THE DATE OF SERVICE; 2) ANY APPLICABLE LAWS/REGULATIONS; 3) ANY RELEVANT COLLATERAL SOURCE MATERIALS INCLUDING COVERAGE POLICIES AND; 4) THE SPECIFIC FACTS OF THE PARTICULAR SITUATION. COVERAGE POLICIES RELATE EXCLUSIVELY TO THE ADMINISTRATION OF HEALTH BENEFIT PLANS. COVERAGE POLICIES ARE NOT RECOMMENDATIONS FOR TREATMENT AND SHOULD NEVER BE USED AS TREATMENT GUIDELINES. IN CERTAIN MARKETS, DELEGATED VENDOR GUIDELINES MAY BE USED TO SUPPORT MEDICAL NECESSITY AND OTHER COVERAGE DETERMINATIONS.

CIGNA NATIONAL FORMULARY COVERAGE:

OVERVIEW

Chenodal, a naturally occurring bile acid, is indicated for patients with **radiolucent stones** in well-opacifying gallbladders, in whom selective surgery would be undertaken except for the presence of increased surgical risk due to systemic disease or age.¹

The most widely used treatment for symptomatic gallstones is cholecystectomy.² Two naturally occurring bile acids are used in the treatment of gallstones: ursodeoxycholic acid (UrsoForte[®], Urso-250[®], [ursodiol tablets, generic], Actigall[®] [ursodiol capsules, generic]) and chenodeoxycholic acid/chenodiol (Chenodal).³ These agents reduce biliary cholesterol; however, their exact mechanisms differ. Both Chenodal and ursodiol promote the gradual dissolution of radiolucent gallstones over a period of 6 months to 2 years.²

Other Uses with Supportive Evidence

Cerebrotendinous xanthomatosis (CTX) is a lipid storage disorder with various clinical manifestations including juvenile cataracts, tendon xanthomas, premature atherosclerosis, and progressive neurologic disturbance (e.g., ataxia, seizures, psychiatric disorders, and peripheral neuropathy).⁴ Other conditions associated with CTX include osteoarthritis, skeletal fractures, pulmonary insufficiency, renal and hepatic calculi, and childhood chronic diarrhea. CTX is the result of a mutated

enzyme (cytochrome P450 27-sterol hydroxylase) which is normally responsible for the conversion of cholesterol to cholic acid and chenodeoxycholic acid. In CTX, reduced synthesis of cholic and chenodeoxycholic acids results in failed feedback inhibition of cholesterol production, in turn leading to hallmark laboratory findings of the disorder: increased serum cholesterol concentrations and elevated urinary bile alcohols.⁵ Replacement therapy with chenodiol inhibits abnormal bile acid synthesis and is most effective in reducing elevated plasma cholesterol concentrations and eliminating bile alcohols.⁴

POLICY STATEMENT

Prior Authorization is recommended for prescription benefit coverage of Chenodal. All approvals are provided for the duration noted below. Because of the specialized skills required for evaluation and diagnosis of patients treated with Chenodal as well as the monitoring required for adverse events and long-term efficacy, approval requires Chenodal to be prescribed by or in consultation with a physician who specializes in the condition being treated.

• Chenodal™ (chenodiol tablets (Travere) is(are) covered as medically necessary when the following criteria is(are) met for fda-approved indication(s) or other uses with supportive evidence (if applicable):

FDA-Approved Indication

- **1. Gallstones.** Approve for 1 year if the patient meets one of the following (A <u>or</u> B):
 - A) Patient has tried an ursodiol product; OR
 - **B)** Patient is currently receiving an ursodiol product.

Other Uses with Supportive Evidence

2. Cerebrotendinous Xanthomatosis. Approve for 1 year if Chenodal is prescribed by or in consultation with a metabolic specialist who treats patients with cerebrotendinous xanthomatosis or a specialist who focuses in the treatment of cerebrotendinous xanthomatosis.

CONDITIONS NOT COVERED

• Chenodal™ (chenodiol tablets (Travere) is(are) considered experimental, investigational or unproven for ANY other use(s) including the following (this list may not be all inclusive; criteria will be updated as new published data are available):

1. Combination Therapy with Cholbam (cholic acid capsules). There are no efficacy data available to support use of combination therapy with Chenodal and Cholbam.

REFERENCES

- 1. Chenodal[™] tablets [prescribing information]. San Diego, CA: Travere; May 2021.
- 2. Gaby AR. Nutritional approaches to prevention and treatment of gallstones. *Altern Med Rev.* 2009;14(3):258-267.
- 3. Abraham S, Rivero HG, Erlikh IV, Griffith LF, and Hondamudi VK. Surgical and nonsurgical management of gallstones. *Am Fam Physician*. 2014;89(10):795-802.
- 4. Moghadasian MH, Salen G, Frohlich JJ, et al. Cerebrotendinous xanthomatosis. *Arch Neurol*. 2002;59:527-529.
- 5. Lorincz MT, Rainier S, Thomas D and Fink JK. Cerebrotendinous xanthomatosis: possible higher prevalence than previously recognized. *Arch Neurol.* 2005;62:1459-1463.

HISTORY

Type of Revision	Summary of Changes	Review Date
Annual	No criteria changes.	08/10/2022
Revision		
Annual	No criteria changes.	08/23/2023
Revision	_	

"Cigna Companies" refers to operating subsidiaries of Cigna Corporation. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. © 2023 Cigna