

PRIOR AUTHORIZATION POLICY

POLICY: Somavert Prior Authorization Policy

Somavert® (pegvisomant subcutaneous injection – Pfizer)

REVIEW DATE: 08/23/2023

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies, Certain Cigna COMPANIES AND/OR LINES OF BUSINESS ONLY PROVIDE UTILIZATION REVIEW SERVICES TO CLIENTS AND DO NOT MAKE COVERAGE DETERMINATIONS. REFERENCES TO STANDARD BENEFIT PLAN LANGUAGE AND COVERAGE DETERMINATIONS DO NOT APPLY TO THOSE CLIENTS. COVERAGE POLICIES ARE INTENDED TO PROVIDE GUIDANCE IN INTERPRETING CERTAIN STANDARD BENEFIT PLANS ADMINISTERED BY CIGNA COMPANIES. PLEASE NOTE, THE TERMS OF A CUSTOMER'S PARTICULAR BENEFIT PLAN DOCUMENT [GROUP SERVICE AGREEMENT, EVIDENCE OF COVERAGE, CERTIFICATE OF COVERAGE, SUMMARY PLAN DESCRIPTION (SPD) OR SIMILAR PLAN DOCUMENT] MAY DIFFER SIGNIFICANTLY FROM THE STANDARD BENEFIT PLANS UPON WHICH THESE COVERAGE POLICIES ARE BASED. FOR EXAMPLE, A CUSTOMER'S BENEFIT PLAN DOCUMENT MAY CONTAIN A SPECIFIC EXCLUSION RELATED TO A TOPIC ADDRESSED IN A COVERAGE POLICY. IN THE EVENT OF A CONFLICT, A CUSTOMER'S BENEFIT PLAN DOCUMENT ALWAYS SUPERSEDES THE INFORMATION IN THE COVERAGE POLICIES. IN THE ABSENCE OF A CONTROLLING FEDERAL OR STATE COVERAGE MANDATE, BENEFITS ARE ULTIMATELY DETERMINED BY THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT. COVERAGE DETERMINATIONS IN EACH SPECIFIC INSTANCE REQUIRE CONSIDERATION OF 1) THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT IN EFFECT ON THE DATE OF SERVICE; 2) ANY APPLICABLE LAWS/REGULATIONS; 3) ANY RELEVANT COLLATERAL SOURCE MATERIALS INCLUDING COVERAGE POLICIES AND; 4) THE SPECIFIC FACTS OF THE PARTICULAR SITUATION. COVERAGE POLICIES RELATE EXCLUSIVELY TO THE ADMINISTRATION OF HEALTH BENEFIT PLANS. COVERAGE POLICIES ARE NOT RECOMMENDATIONS FOR TREATMENT AND SHOULD NEVER BE USED AS TREATMENT GUIDELINES. IN CERTAIN MARKETS, DELEGATED VENDOR GUIDELINES MAY BE USED TO SUPPORT MEDICAL NECESSITY AND OTHER COVERAGE DETERMINATIONS.

CIGNA NATIONAL FORMULARY COVERAGE:

OVERVIEW

Somavert, a growth hormone receptor antagonist, is indicated for the treatment of **acromegaly** in patients who have had inadequate response to surgery and/or radiation therapy and/or other medical therapies, or for whom these therapies are not appropriate.¹ The goal of treatment is to normalize serum insulin-like growth factor-1 levels.

POLICY STATEMENT

Prior Authorization is recommended for prescription benefit coverage of Somavert. All approvals are provided for the duration noted below. Because of the specialized skills required for evaluation and diagnosis of patients treated with Somavert as well as the monitoring required for adverse events and long-term efficacy, approval requires Somavert to be prescribed by or in consultation with a physician who specializes in the condition being treated.

• Somavert® (pegvisomant subcutaneous injection (Pfizer) is(are) covered as medically necessary when the following criteria is(are) met for FDA-approved indication(s) or other uses with supportive evidence (if applicable):

FDA-Approved Indication

- **1. Acromegaly.** Approve for 1 year if the patient meets the following (A, B, <u>and</u> C): **A)** Patient meets ONE of the following (i, ii, or iii):
 - Patient has had an inadequate response to surgery and/or radiotherapy;
 OR
 - ii. Patient is NOT an appropriate candidate for surgery and/or radiotherapy;OR
 - **iii.** Patient is experiencing negative effects due to tumor size (e.g., optic nerve compression); AND
 - B) Patient has (or had) a pre-treatment (baseline) insulin-like growth factor-1 (IGF-1) level above the upper limit of normal based on age and gender for the reporting laboratory; AND

 Note: Pre-treatment (baseline) refers to the IGF-1 level prior to the initiation of any somatostatin analog (e.g., Mycapssa [octreotide delayed-release capsules], an octreotide acetate injection product [e.g., Bynfezia Pen, Sandostatin {generics}, Sandostatin LAR Depot], Signifor LAR [pasireotide intramuscular injection], Somatuline Depot [lanreotide subcutaneous injection]), dopamine agonist (e.g., cabergoline, bromocriptine), or Somavert.
 - **C)** The medication is prescribed by or in consultation with an endocrinologist.

CONDITIONS NOT COVERED

- Somavert® (pegvisomant subcutaneous injection (Pfizer) is(are) considered experimental, investigational or unproven for ANY other use(s) including the following (this list may not be all inclusive; criteria will be updated as new published data are available):
- 1. Treatment of Excess Growth Hormone Associated with McCune-Albright Syndrome. Five patients with growth hormone excess due to McCune-Albright Syndrome were treated with 20 mg of Somavert daily for 12 weeks in a randomized, double-blind, placebo-controlled trial at the National Institutes of Health.² Somavert reduced IGF-1 and IGF binding protein-3 in these patients but had no effect on fibrous dysplasia.

REFERENCES

- 1. Somavert® subcutaneous injection [prescribing information]. New York, New York: Pfizer; July 2023.
- 2. Akintoye SO, Kelly MH, Brillante B, et al. Pegvisomant for the treatment of gsp-mediated growth hormone excess in patients with McCune-Albright Syndrome. *J Clin Endocrinol Metab.* 2006;91:2960-2966.

HISTORY

Type of Revision	Summary of Changes	Review Date
Annual	No criteria changes.	08/17/2022
Revision		
Annual	No criteria changes.	8/23/2023
Revision		

[&]quot;Cigna Companies" refers to operating subsidiaries of Cigna Corporation. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. © 2023 Cigna