

# **PRIOR AUTHORIZATION POLICY**

# POLICY: Ophthalmology – Dry Eye Disease – Miebo Prior Authorization Policy Miebo<sup>™</sup> (perfluorohexyloctane ophthalmic solution – Bausch & Lomb)

**Review Date:** 06/14/2023

#### INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies, Certain Cigna COMPANIES AND/OR LINES OF BUSINESS ONLY PROVIDE UTILIZATION REVIEW SERVICES TO CLIENTS AND DO NOT MAKE COVERAGE DETERMINATIONS. REFERENCES TO STANDARD BENEFIT PLAN LANGUAGE AND COVERAGE DETERMINATIONS DO NOT APPLY TO THOSE CLIENTS. COVERAGE POLICIES ARE INTENDED TO PROVIDE GUIDANCE IN INTERPRETING CERTAIN STANDARD BENEFIT PLANS ADMINISTERED BY CIGNA COMPANIES. PLEASE NOTE, THE TERMS OF A CUSTOMER'S PARTICULAR BENEFIT PLAN DOCUMENT [GROUP SERVICE AGREEMENT, EVIDENCE OF COVERAGE, CERTIFICATE OF COVERAGE, SUMMARY PLAN DESCRIPTION (SPD) OR SIMILAR PLAN DOCUMENT] MAY DIFFER SIGNIFICANTLY FROM THE STANDARD BENEFIT PLANS UPON WHICH THESE COVERAGE POLICIES ARE BASED. FOR EXAMPLE, A CUSTOMER'S BENEFIT PLAN DOCUMENT MAY CONTAIN A SPECIFIC EXCLUSION RELATED TO A TOPIC ADDRESSED IN A COVERAGE POLICY. IN THE EVENT OF A CONFLICT, A CUSTOMER'S BENEFIT PLAN DOCUMENT ALWAYS SUPERSEDES THE INFORMATION IN THE COVERAGE POLICIES. IN THE ABSENCE OF A CONTROLLING FEDERAL OR STATE COVERAGE MANDATE, BENEFITS ARE ULTIMATELY DETERMINED BY THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT. COVERAGE DETERMINATIONS IN EACH SPECIFIC INSTANCE REQUIRE CONSIDERATION OF 1) THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT IN EFFECT ON THE DATE OF SERVICE; 2) ANY APPLICABLE LAWS/REGULATIONS; 3) ANY RELEVANT COLLATERAL SOURCE MATERIALS INCLUDING COVERAGE POLICIES AND; 4) THE SPECIFIC FACTS OF THE PARTICULAR SITUATION. COVERAGE POLICIES RELATE EXCLUSIVELY TO THE ADMINISTRATION OF HEALTH BENEFIT PLANS. COVERAGE POLICIES ARE NOT RECOMMENDATIONS FOR TREATMENT AND SHOULD NEVER BE USED AS TREATMENT GUIDELINES. IN CERTAIN MARKETS, DELEGATED VENDOR GUIDELINES MAY BE USED TO SUPPORT MEDICAL NECESSITY AND OTHER COVERAGE DETERMINATIONS.

# CIGNA NATIONAL FORMULARY COVERAGE:

#### **OVERVIEW**

Miebo, a semifluorinated alkane, is indicated for the treatment of the signs and symptoms of **dry eye disease** (DED).<sup>1</sup> The safety and effectiveness of Miebo in pediatric patients < 18 years of age have not been established.

There are no data to support concomitant use of Miebo with other ophthalmic medications for DED (e.g., cyclosporine [Cequa<sup>™</sup>, Restasis<sup>®</sup>, Vevye<sup>™</sup>), Tyrvaya<sup>®</sup> (varenicline nasal solution), Xiidra<sup>®</sup> (lifitegrast ophthalmic solution).

# Guidelines

The American Academy of Ophthalmology (AAO) published a Preferred Practice Pattern for the treatment of dry eye syndrome (used interchangeably with DED) in 2018.<sup>2</sup> The AAO classifies dry eye as mild, moderate, or severe, based on signs and symptoms of the disease. Treatment recommendations for DED are listed in a four-step progression but specific therapies may be chosen from any category, regardless of the level of disease severity, depending on provider experience and patient preference.

# **POLICY STATEMENT**

Page 1 of 3 - Cigna National Formulary Coverage - Policy:Ophthalmology – Dry Eye Disease – Miebo Prior Authorization Policy

Prior Authorization is recommended for prescription benefit coverage of Miebo. All approvals are provided for the duration noted below.

• Miebo<sup>™</sup> (perfluorohexyloctane ophthalmic solution (Bausch & Lomb) is(are) covered as medically necessary when the following criteria is(are) met for FDA-approved indication(s) or other uses with supportive evidence (if applicable):

### FDA-Approved Indication

**1.** Dry Eye Disease. Approve for 1 year if the patient is  $\geq$  18 years of age. Note: Examples of dry eye disease include dry eye syndrome.

# **CONDITIONS NOT COVERED**

• Miebo<sup>™</sup> (perfluorohexyloctane ophthalmic solution (Bausch & Lomb) is(are) considered experimental, investigational or unproven for ANY other use(s) including the following (this list may not be all inclusive; criteria will be updated as new published data are available):

1. Concomitant use with an ophthalmic cyclosporine product (Cequa, Restasis, Vevye), Tyrvaya (varenicline nasal solution), or Xiidra (lifitegrast ophthalmic solution). There are no data to support the concomitant use of Miebo with Cequa/Restasis/Vevye, Tyrvaya, or Xiidra.

#### References

- 1. Miebo<sup>™</sup> ophthalmic solution [prescribing information]. Bridgewater, NJ: Bausch & Lomb; May 2023.
- 2. Akpek E, Amescua G, Farid M, et al. American Academy of Ophthalmology Preferred Practice Pattern Cornea and External Disease Panel. Dry Eye Syndrome Preferred Practice Pattern<sup>®</sup>. *Ophthalmology*. 2019 Jan;126(1):286-334.

<b>HISIORY</b>		
Type of Revision	Summary of Changes	Review Date
New Policy		06/14/2023

"Cigna Companies" refers to operating subsidiaries of Cigna Corporation. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. © 2023 Cigna

#### HISTORY