

Administrative Policy

Effective Date	6/15/2025
Next Review Date	1/15/2026
Coverage Policy Number	A004

Preventive Care Services

Table of Contents

Administrative Policy	. 1
Health Equity Considerations	13
General Background	14
Coding Information	16
References	43

Related Coverage Resources

Bone Mineral Density Measurement
Cervical Cancer Screening Visualization Technologies
Colorectal Cancer Screening and Surveillance
Contraceptives
Genetic Testing for Hereditary Cancer Susceptibility
Syndromes
Nucleic Acid Pathogen Testing
Prescription Drug Lists and Coverage Member
Resources

PURPOSE

Administrative Policies are intended to provide further information about the administration of **standard** Cigna benefit plans. In the event of a conflict, a customer's benefit plan document **always supersedes** the information in an Administrative Policy. Coverage determinations require consideration of 1) the terms of the applicable benefit plan document; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Administrative Policies and; 4) the specific facts of the particular situation. Administrative Policies relate exclusively to the administration of health benefit plans. Administrative Policies are not recommendations for treatment and should never be used as treatment quidelines.

Administrative Policy

The Affordable Care Act (ACA) requires individual and group health plans to cover innetwork preventive services and immunizations without cost sharing (e.g., deductibles, coinsurance, copayments) unless the plan qualifies under the grandfather provision or for an exemption. Coverage for preventive care services other than those mandated by ACA is dependent on benefit plan language. For example, many benefit plans specifically exclude immunizations that are for the purpose of travel or to protect against occupational hazards and risks. Please refer to the applicable benefit plan language to determine benefit availability and the terms, conditions and limitations of coverage.

Preventive care services are covered as required by the Affordable Care Act (ACA). The ACA designated resources that identify the preventive services required for coverage are:

United States Preventive Services Task Force (USPSTF) grade A or B recommendations

Page 1 of 44

- Advisory Committee on Immunization Practices (ACIP) recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)
- Health Resources and Services Administration (HRSA) supported comprehensive guidelines which appear in any of the following sources:
 - Periodicity schedule of the Bright Futures Recommendations for Pediatric Preventive Health Care
 - Uniform Panel of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children
 - > HRSA Women's Preventive Services Guidelines

Services not covered as preventive care services may be covered under another portion of the benefit plan.

Preventive care services submitted with diagnosis codes that represent treatment of illness or injury will be reviewed as applicable under the medical benefit rather than as a preventive care service.

Additional Preventive Care Services

In addition to the designated services identified by ACA sources, adult wellness examinations, prostate cancer screening, double contrast barium enema for colorectal cancer screening and venipuncture associated with preventive laboratory screenings are covered under the benefit as preventive care services. Professional society statements and guidelines may vary and are not considered part of ACA sources.

Reasonable Medical Management

The ACA states reasonable medical management techniques may be used to determine coverage limitations if a recommendation or guideline does not specify the frequency, method, treatment, or setting for the provision of a recommended preventive service. Reasonable medical management techniques may include precertification, concurrent review, claim review, or similar practices to determine coverage limitations under the plan. These established reasonable medical management techniques and practices may be utilized to determine frequency, method, treatment or setting for the provision of a recommended preventive service.

Please see Coding Table for Coding Information Related to Preventive Services.

Note: ALL ICD-10, CPT® and HCPCS codes billed for a preventive service should follow standard coding guidelines, including those related to an unacceptable primary and principal diagnosis.

Wellness Examinations - General Description

Preventive medicine comprehensive evaluation and management services (i.e., Wellness examinations) for well-baby, well-child and well-adult, including well-woman include:

- An age-and gender-appropriate history
- Physical examination
- Counseling/anticipatory guidance
- Risk factor reduction interventions
- The ordering of appropriate immunization(s) and laboratory/screening procedures

Frequency of Wellness Examinations

Page 2 of 44

Ages 0 to age 5: According to the American Academy of Pediatrics (AAP) Bright Futures Periodicity Schedule	99381, 99382, 99391, 99392, 99461 Allowed with any diagnosis code
	99383, 99384, 99385, 99386, 99387 99393, 99394, 99395, 99396, 99397 G0402, G0438, G0439, S0610, S0612, S0613 Allowed with any diagnosis code
Ages 5 and above: Annual wellness examination; annual well-woman exam; additional visits for women's services related to contraception management	Pelvic Examination add-on code 99459: Preventive care services benefits may apply to 99459 when the related preventive medicine_evaluation and management code is billed as the primary service.
	CPT code 99459 may not be payable in all circumstances due to other policies or guidelines.
Preventive Care Services That May	y Be Provided During a Wellness Examination
Administration/Interpretation of Health Risk Assessment Instrument	Discussion of aspirin prophylaxis
Autism screening	Discussion of chemoprevention with women at risk for breast cancer
Anxiety screening	Discussion/referral for genetic counseling/evaluation for BRCA testing
Behavioral/Social/Emotional assessment	Hearing and vision screening
Blood pressure measurement for high blood pressure screening/Preeclampsia screening	Hepatitis B risk assessment
Breast-feeding promotion/counseling/support	Intimate partner/interpersonal and domestic violence screening/referral to support services
Counseling/education to minimize exposure to ultraviolet radiation	Obesity screening/counseling regarding weight loss, healthy diet and exercise
Counseling/education regarding FDA-approved contraception methods for women including counseling for continued adherence and follow-up, management of side effects, and instruction in fertility awareness-based methods including the lactation amenorrhea method	Sudden cardiac arrest/sudden cardiac death risk assessment
Counseling to prevent initiation of tobacco use	Tobacco use screening/counseling
Counseling related to sexual behavior/sexually transmitted infection (STI) prevention including HIV Preexposure Prophylaxis (PrEP) related adherence counseling and pre- and post-prescription follow up counseling	Oral health assessment/discussion of water fluoridation/referral to dental home
Critical congenital heart disease screening	Unhealthy Alcohol use and substance abuse screening/counseling
Depression screening/Maternal Depression screening/Suicide risk assessment	Urinary incontinence screening
Preventive Care Screenings and Interventions (Note: some services may be provided as part of a wellness examination or at a separate encounter)	

Page 3 of 44 Administrative Policy: A004

The following codes represent services that are NOT for treatment of illness or injury and should be submitted with a designated wellness or maternity diagnosis code in the primary position on the claim form. Select a Designated Wellness Code from pertinent Code Group.

Note: ALL ICD-10, CPT® and HCPCS codes billed for a preventive service should follow standard coding guidelines, including those related to an unacceptable primary and principal diagnosis.

Some services <u>MAY</u> require precertification or other reasonable medical management technique or practice depending on benefit plan design.

Abdominal Aortic Aneurysm Screening:	
Men	76706 Select Code from Code Group 7
Administration/Interpretation of Health Risk Assessment Instrument (e.g., suicide risk assessment; sudden cardiac arrest/death risk assessment)	96160, 96161 Allowed with any diagnosis
Anemia, Iron Deficiency Anemia Screening: Children age 12 months	85013, 85014, 85018, 85025, 85027, 85041, G0306, G0307 Select Designated Wellness Code from Code Group 1
Anxiety Screening: Anxiety Screening: Adults, children and adolescents (ages 8-18), including pregnant and postpartum persons.	96127, 96161 Allowed with any diagnosis
Bacteriuria Screening: Pregnant women at 12- 16 weeks gestation or at the first prenatal visit, if later	87086, 87088 Allowed with a Maternity Diagnosis Code
Bilirubin Screening: newborns	82247, 88720 Select Designated Wellness Code from Code Group 1
Breast Cancer/Ovarian Cancer risk assessment: genetic counseling for women at risk	96041, S0265 Select Designated Wellness Code from Code Group 1 Subject to 3 visit limitation
	•

	01162 01162 01164 01165 01166 01167 01212
BRCA1/BRCA2 Genetic Testing for susceptibility to breast or ovarian cancer, if	81162, 81163, 81164, 81165, 81166, 81167, 81212, 81215, 81216, 81217 Allowed with any diagnosis
indicated: women	(MAY require precertification or other reasonable medical management technique or practice depending on benefit plan design)
Breast Cancer Screening: women age 40 and older, every 1-2 years	77065, 77066 Select Designated Wellness Code from Code Group 1
	77063, 77067 Allowed with any diagnosis
Breast-feeding Support/Counseling during pregnancy and after birth	99401, 99402, 99403, 99404, 99411, 99412, S9443 Allowed with any diagnosis
	A 4204 A 4202 A 4204 A 4204 A 4205 A 4205
Breast-feeding Equipment/Supplies	A4281, A4282, A4283, A4284, A4285, A4286, A4287, E0602, E0603, E0604** Allowed with any diagnosis code
	**E0604 requires a prescription
	Must be ordered through an in-network provider
	A starter kit is included at no cost, but there may be options to purchase upgrades (e,g., wireless pumps) and accessories at a Cigna discounted rate.
Cervical Cancer Screening:	Pap testing:
Women	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175
 age 21-65 years Papanicolaou (Pap) test test every 3 years 	G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091
 Women age 30-65 years EITHER of the following tests ➤ Human Papillomavirus (HPV) 	Select Code from Code Group 12
Deoxyribonucleic acid (DNA) test, alone, test every 5 years HPV DNA test in combination	HPV testing: 87624, 87625, 87626, G0476
with Pap test (co-testing) every 5 years	Select Designated Code from Code Group 13
Chlamydia Screening: all sexually active women age 24 and younger, and older women at increased risk	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87800, 87801, 87810, 0455U Select Designated Wellness Code from Code Group 1; or

	Allowed with a Maternity Diagnosis Code
	Allowed with a Maternity Diagnosis Code
Cholesterol Screening: children/adolescents > ages 9-11 years and 17-21 years > ages 2-8 years and 12-16 years with risk factors	80061, 82465, 83718, 83721, 84478 Select Designated Wellness Code from <u>Code Group 1</u>
Cholesterol Screening: adults age 40-75	80061, 82465, 83718, 83721, 84478 Select Designated Wellness Code from <u>Code Group 1</u>
Colorectal Cancer Screening: consultation prior to colonoscopy	S0285 Allowed with any diagnosis
Colorectal Cancer Screening	
 asymptomatic adult age 45-75 years average risk of colorectal cancer (i.e., no prior diagnosis of colorectal cancer, adenomatous polyps, or inflammatory bowel disease; no personal diagnosis or family history of known genetic disorders that predispose them to a high lifetime risk of colorectal cancer [such as Lynch syndrome or familial adenomatous polyposis]) Using ANY of the following screening methods: High-sensitivity guaiac fecal occult blood testing (HSgFOBT), annually; fecal immunochemical test (FIT) annually; Stool DNA-FIT, annually; Flexible sigmoidoscopy every five years 	00812, 74263, 82270, 82274, G0328 Allowed with any diagnosis 00813 covered as preventive when performed as part of a preventive colonoscopy Cologuard 81528 Select Designated Code from Code Group 9 Colonoscopy 45378, 45380, 45381, 45384, 45385, 45388, 45390, G0105, G0121 Select Designated Code from Code Group 10 Flexible Sigmoidoscopy, Barium Enema 45330, 45331, 45333, 45338, 45346, 74270, 74280 G0104 Select Designated Code from Code Group 11
 Flexible sigmoidoscopy every ten years + annual FIT; Colonoscopy screening every ten years; 	CT Colonography 74263 MAY require precertification Any diagnosis code
 Computed tomographic colonography (virtual colonoscopy) every five years; Double contrast barium enema (DCBE), every five years Screening colonoscopy following 	88305, 99152, 99153, 99156, 99157, G0500 Select Designated Wellness Code from <u>Code Group 1</u>
positive results on stool-based	

Page 6 of 44 Administrative Policy: A004

screening tests and abnormal findings identified by flexible sigmoidoscopy or CT colonography	
Colonoscopy [screening] following positive results on stool-based screening tests and	45378, 45380, 45381, 45384, 45385, 45388, 45390. 88305, 99152, 99153, 99156, 99157, G0500, G0105, G0121 Select Designated Code from <u>Code Group 10</u>
abnormal findings identified by flexible sigmoidoscopy or CT colonography	00812 Allowed with any diagnosis
	00813 covered as preventive when performed as part of a preventive colonoscopy
Congenital Hypothyroidism Screening: newborns	84436, 84437, 84443 Select Designated Wellness Code from <u>Code Group 1</u>
Critical Congenital Heart Disease Screening: newborns before discharge from hospital	Considered part of facility fee
Depression Screening/Maternal Depression Screening: adolescents and adults including pregnant and postpartum women	96127, 96161, G0444 Allowed with any diagnosis
Depression and Suicide Risk Assessment (ages 12-21)	96127, 96160, G0444 Allowed with any diagnosis
Developmental/Behavioral/Social/Emotional	G0451 Select Designated Wellness Code from Code Group 1
Screening	96110, 96127, S0302 Allowed with any diagnosis
Fall Prevention: community dwelling adults age 65 years and older with risk factors	97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0159, S8990, S9131 Select Designated Wellness Code from Code Group 2
- ,	Age Limitation applied
Fluoride application: infants and children birth to age 6 years (in primary care setting)	99188, 0792T Allowed with any diagnosis
Gestational Diabetes: pregnant women at first prenatal visit for those at risk; all pregnant women at 24 to 28 weeks gestation	82950, 82951, 82952 Allowed with a Maternity Diagnosis Code

Page 7 of 44 Administrative Policy: A004

Gonorrhea Screening: all sexually active women age 24 and younger and older women at increased risk	87590, 87591, 87800, 87801, 87850, 0455U Select Designated Wellness Code from Code Group 1; or Allowed with a Maternity Diagnosis Code
Gonorrhea prophylactic ocular medication to prevent blindness: newborns	No specific code; typically included on hospital billing
Health Promotion/Prevention of Illness or Injury Counseling	99401, 99402, 99403, 99404, 99411, 99412 Allowed with any diagnosis code
Hearing Screening: infants, children through age 10 years Hearing Screening: adolescents age 11 years	92550, 92552, 92553, 92558, 92567, 92568, 92579, 92582, 92583, 92587, 92588, 92650, 92651 Select Designated Wellness Code from Code Group 1
through age 21 years (effective on or after 02/01/2018 as plans renew)	92551, V5008 Allowed with any diagnosis
(not a complete hearing examination)	Age Limitations applied
Hepatitis B Screening: pregnant women, first prenatal visit; adolescents and adults at high risk for infection	86704, 86705, 86706, 87340, 87341, 87516, Select Designated Wellness Code from Code Group 1; or Allowed with a Maternity Diagnosis Code
	G0499 Allowed with any diagnosis
Hepatitis C Screening: adults aged 18-79	86803, 87520, 87521, 87522, G0567 Select Designated Wellness Code from Code Group 1; or Allowed with a Maternity Diagnosis Code
	G0472 Allowed with any diagnosis
High Blood Pressure Screening (Outside the Clinical Setting): adults age 18 and older	93784, 93786, 93788, 93790, 99473, 99474, A4660*, A4663*, A4670* Select Designated Wellness Code from Code Group 6 *Requires a prescription
	Must be ordered through an in-network provider
Human Immunodeficiency Virus (HIV) Infection Screening: pregnant women, adolescents and adults 15 to 65 years; younger adolescents or adults with risk	80081, 86701, 86702, 86703,87389, 87390, 87391, 87534, 87535, 87536, 87537, 87538, 87539, 87806, S3645 Select Designated Wellness Code from Code Group 1; or Allowed with a Maternity Diagnosis Code
factors; annually for sexually active women (adolescent and adult)	G0432, G0433, G0435, G0475 Allowed with any diagnosis

Page 8 of 44 Administrative Policy: A004

Lead Screening: children at risk for lead	83655
exposure	Select Designated Wellness Code from Code Group 1
Adults age 50-80 years with 20 pack-year smoking history and currently smoke or have quit within the past 15 years annually	71271, G0296 Select Code from Code Group 8
Metabolic Screening: newborns (specific combination of tests will vary according to state law)	S3620 Allowed with any diagnosis
Nutrition/Physical Activity Counseling, Behavioral Interventions: adults who have risk factors for cardiovascular disease; obese	97802, 97803, 97804, S9470 Select Designated Wellness Code from Code Group 1 Subject to 3 visit limitation
adults and children age six years and older	G0446, G0447, G0473 Allowed with any diagnosis
Nutrition/Physical Activity Counseling, Behavioral Interventions: Pregnant adolescents and adults	97802, 97803, 97804, S9470 Allowed with a Maternity Diagnosis Code Subject to 3 visit limitation
Obesity Prevention in midlife women (age 40-60 with normal or overweight body mass index (BMI); nutrition/physical activity counseling	97802, 97803, 97804, S9470 Select Designated Wellness Code from Code Group 1 Subject to 3 visit limitation
Osteoporosis Screening Women • age ≥65 years • no history of low-trauma fractures • without conditions that may cause secondary osteoporosis (e.g., metabolic bone disease or untreated hyperthyroidism) • without conditions that may increase their risk of falls. • screening test every 2 years	76977, 77078, 77080, 77081, G0130 Select Code from <u>Code Group 14</u>

Women age ≤65 years with fracture risk as determined by a formal Clinical Risk assessment Tool* screening test every 2 years * the Simple Calculated Osteoporosis Risk Estimation (SCORE) Osteoporosis Risk Assessment Instrument (ORAI) Osteoporosis Index of Risk (OSIRIS) Osteoporosis Self-Assessment Tool (OST) Fracture Risk Assessment Tool (FRAX Tool) Perinatal Depression Prevention, 96156, 96158, 96159, 96164, 96165, 96167, 96168 Interventions: Pregnant and postpartum Allowed with a Maternity Diagnosis Code women 84030 Phenylketonuria (PKU) Screening: newborns Select Designated Wellness Code from Code Group 1 82947, 82948, 82950, 82951, 82952, 83036, G9887, G9888 Prediabetes and Type 2 Diabetes Screening Select Designated Wellness Code from Code Group 1 and Counseling: Adults, age 35-70 who are 0403T, 0488T, G9873, G9874, G9875, G9876, G9877, overweight or obese; women with a history of G9878, G9879, G9880, G9881, G9882, G9883, G9884, gestational diabetes G9885, G9886, G9890 Allowed with any diagnosis Prevention of Human Immunodeficiency Virus HIV Screening: For coding guidance, see Human (HIV) Infection: Preexposure Prophylaxis Immunodeficiency Virus (HIV) Infection Screening (PrEP) G0012, J0739, J0750, J0751, J0799 Oral and Injectable Medication Select Designated Wellness Code from Code Group 1 Related services: Kidney function testing: Includes: 82565, 82575, 82610 HIV screening; Select Designated Wellness Code from Code Group 1 Kidney function testing (effective 9/17/2021); Hepatitis B Screening: For coding guidance, see Hepatitis Hepatitis B and C Screening; B Screening Pregnancy testing as appropriate (effective 9/17/2021); Sexually Transmitted Infection Screening and Hepatitis C Screening: For coding guidance, see Hepatitis Behavioral Counseling; C Screening

Page 10 of 44

STI Adherence Counseling Individual counseling for preexposure	Pregnancy Testing:
prophylaxis Note: Refer to the plan's pharmacy benefit for details on prescription medications available under the plan's preventive benefit.	81025, 84703 Select Designated Wellness Code from <u>Code Group 1</u>
	Sexually Transmitted Infection (STI) Screening and Behavioral Counseling: For coding guidance see the following sections:
	Chlamydia Screening
	Gonorrhea Screening
	Syphilis Screening
	STI Prevention Counseling
	Adherence Counseling/Pre and Post-Prescription follow-up counseling:
	99401, 99402, 99403, 99404, 99411, 99412 Allowed with any diagnosis
	Individual Counseling for preexposure prophylaxis:
	G0011, G0013 Select Designated Wellness Code from Code Group 1
Prostate Cancer Screening: men age 45 and older or age 40 with risk factors	84152, 84153, 84154 Select Designated Wellness Code from Code Group 1
	G0103 Allowed with any diagnosis
Rh incompatibility Screening: pregnant women at first visit and repeat for unsensitized Rh negative women at 24-28 weeks	86900, 86901 Allowed with a Maternity Diagnosis Code
COVID-19 Diphtheria, Tetanus Toxoids and Acellular Pertussis (DTaP, Tdap, Td) Dengue (recommended for certain populations only) Haemophilus influenza type b conjugate (Hib) Hepatitis A (Hep A) Hepatitis B (Hep B) Human Papillomavirus (HPV) Influenza Measles, mumps and rubella (MMR) Meningococcal (MCV)	90380, 90381, 90460, 90461, 90471, 90472, 90473, 90474, 90480, 90587, 90611, 90619, 90620, 90621, 90622*, 90623, 90630, 90632, 90633, 90634, 90636, 90644, 90647, 90648, 90649, 90650, 90651, 90653, 90656, 90657, 90658, 90661, 90662, 90670, 90671, 90672, 90674, 90677, 90678, 90679, 90680, 90681, 90682, 90683, 90684, 90689, 90685, 90686, 90687, 90688, 90694, 90696, 90697, 90698, 90700, 90702, 90707, 90710, 90713, 90714, 90715, 90716, 90723, 90732, 90733, 90734, 90736, 90739, 90740, 90743, 90744, 90746, 90747, 90748, 90750, 90756, 90759, 91304, 91318, 91319, 91320, 91321, 91322, 96380, 96381, G0008, G0009, G0010, J3530, M0201, Q2034, Q2035, Q2036, Q2038, Q2039

Page 11 of 44 Administrative Policy: A004

 Pneumococcal Poliovirus (IPV) Respiratory Syncytial Virus (RSV) Rotavirus (RV) Varicella Zoster 	Allowed with any diagnosis code (90649, 90650, 90651 are subject to age limits depending on FDA licensed indications and ACIP recommendations for Dates of Service prior to 02-16-2019) *90622 The cost of government provided and funded vaccinations is not covered. The administration of the
	vaccine is covered.
Sexually Transmitted Infection (STI) Prevention Counseling: sexually active adolescents and adults at increased risk	99401, 99402, 99403, 99404, 99411, 99412, G0445 Allowed with any diagnosis
Sickle Cell Disease Screening: newborns	85660 Select Designated Wellness Code from Code Group 1
Smoking and Tobacco Use Cessation Counseling/Interventions: adults and pregnant women who smoke	99406, 99407 Allowed with any diagnosis code
Syphilis Screening: pregnant women and persons at increased risk of infection	86592, 86593, 86780, 0064U Select Designated Wellness Code from Code Group 1; or Allowed with a Maternity Diagnosis Code
Tuberculosis Screening: children, adolescents and adults at increased risk	86480, 86481, 86580 Select Designated Wellness Code from Code Group 1
Unhealthy Alcohol Use/Substance Abuse Screening and Counseling: All adults, adolescents age 11-21	99408, 99409, G0396, G0397, G0442, G0443, G2011 Allowed with any diagnosis
Unhealthy Drug Use Screening: All adults, age 18 and older	99408, 99409, G0396, G0397, G2011 Allowed with any diagnosis
Venipuncture for Preventive Laboratory Screenings	36415, 36416 Select Designated Wellness Code from <u>Code Group 1;</u> or Allowed with a Maternity Diagnosis Code
Vision Screening: age 3 through age 15 (not a complete vision examination)	99173, 99174, 99177 Allowed with any diagnosis
Instrument based screening recommended for risk assessment at ages 12 and 24 months in addition to the well visits at 3-5 years of age.	Age Limitation applied

Women's Contraceptive Services	
Services for insertion/removal of intrauterine devices, implants; fitting diaphragm or cervical cap	11976, 11981, 11982, 11983, 57170 58300, 58301, S4981 Allowed with any diagnosis code
Contraceptive Supplies	A4261, A4266, A4267, A4268, A4269, J7294, J7295, J7304 Allowed with any diagnosis code
Fertility Cycle Tracking Software to Prevent Pregnancy	A9293
Intrauterine devices (ParaGard®, Skyla®, Kyleena™, Liletta™ Mirena®,)	J7300, J7301, J7296, J7297, J7298 Allowed with any diagnosis code
Injection (Depot medroxyprogesterone acetate)	J1050, 96372 Select Designated Wellness Code from Code Group 4
Implants	J7307 Allowed with any diagnosis code
	58661 Select Designated Wellness Code from Code Group 3
Surgical sterilization procedures for women	00840, 00851, 58600, 58605, 58611, 58615, 58670, 58671 Allowed with any diagnosis code
Pathology service related to surgical sterilization procedures for women	88302 Select Designated Wellness Code from Code Group 5

Health Equity Considerations

Health equity is the highest level of health for all people; health inequity is the avoidable difference in health status or distribution of health resources due to the social conditions in which people are born, grow, live, work, and age.

Social determinants of health are the conditions in the environment that affect a wide range of health, functioning, and quality of life outcomes and risks. Examples include safe housing, transportation, and neighborhoods; racism, discrimination and violence; education, job opportunities and income; access to nutritious foods and physical activity opportunities; access to clean air and water; and language and literacy skills.

Page 13 of 44

Health disparities exist in many conditions for which preventive care is recommended. Systematic evidence reviews currently commissioned by the USPSTF as part of the recommendation development process consider whether the prevalence of a condition is higher or outcomes are worse in certain populations.

With the requirement by the Affordable Care Act (ACA) that preventive services be provided without cost share, access to services designated as preventive may be enhanced.

General Background

Preventive care services are those screenings, tests, and services that are performed for symptom-free or disease-free individuals. They may also include routine immunization and wellness screening services for symptom-free or disease-free individuals at increased risk for a particular disease.

Screening exams are performed in individuals who are symptom and disease free. Diagnostic tests are performed to evaluate abnormalities (e.g., lab results, physical findings or symptoms). Monitoring or surveillance testing is performed in individuals who have a known condition or history that increases the risk of disease and is no longer considered a screening exam.

A positive result on a preventive screening exam does not alter its classification as a preventive service but does influence how that service is classified when rendered in the future. For example, if a screening colonoscopy performed on an asymptomatic individual without additional risk factors for colorectal cancer (e.g. adenomatous polyps, inflammatory bowel disease) detects colorectal cancer or polyps, the purpose of the procedure remains screening, even if polyps are removed during the preventive screening. However, once a diagnosis of colorectal cancer or additional risk factors for colorectal cancer are identified, future colonoscopies will no longer be considered preventive screening. Positive results on stool-based screening tests and abnormal findings identified by flexible sigmoidoscopy or CT colonography require follow-up with colonoscopy for screening benefits to be achieved (USPSTF, 2021).

Typically, preventive care services must be provided by in-network health care professionals. Ancillary services directly related to a screening colonoscopy or female sterilization procedures are considered part of the preventive service. This includes a pre-procedure evaluation office visit, the facility fee, anesthesia services, and pathology services.

ACA has designated specific resources for coverage by the Act: which include the evidenced-based items or services that have a rating of "A" or "B" in the current recommendations of the USPSTF; immunizations for routine use in children, adolescents, and adults that have a recommendation from the ACIP of the CDC; for infants, children, and adolescents, the evidence-informed preventive care and screenings provided for in the comprehensive guidelines supported by the HRSA; and with respect to women, evidence-informed preventive care and screening provided for in comprehensive guidelines supported by HRSA. If a recommendation or guideline does not specify the frequency, method, treatment, or setting for the provision of that service, reasonable medical management techniques may be used to determine any coverage limitations. Professional society statements and guidelines may vary and are not considered part of ACA sources.

According to the ACA, coverage of preventive services become effective upon a plan's start or anniversary date that is one year after the date the recommendation or guideline is issued. The USPSTF assigns each recommendation a letter grade based on the strength of the evidence and the balance of benefits and harms of a preventive service. If a Grade A or B recommendation changes to a Grade C or I, coverage must be provided through the last day of the plan year. If a

Page 14 of 44

Grade A or B recommendation changes to a Grade D, or any previously recommended service is subject to a safety recall or is otherwise determined to pose a significant safety concern, there is no requirement to provide coverage through the last day of the plan year.

	U.S. Preventive Services Task Force Letter Grade Descriptions
Grade A	The USPSTF recommends the service. There is high certainty that the net benefit is
	substantial.
Grade B	The USPSTF recommends the service. There is high certainty that the net benefit is
	moderate or there is moderate certainty that the net benefit is moderate to
	substantial.
Grade C	The USPSTF recommends selectively offering or providing this service to individual
	patients based on professional judgment and patient preferences. There is at least
	moderate certainty that the net benefit is small.
Grade D	The USPSTF recommends against the service. There is moderate or high certainty
	that the service has no net benefit or that the harms outweigh the benefits.
Grade I	The USPSTF concludes that the current evidence is insufficient to assess the balance
	of benefits and harms of the service. Evidence is lacking, of poor quality, or
	conflicting, and the balance of benefits and harms cannot be determined.

Reasonable Medical Management

The ACA states reasonable medical management techniques may be used to determine coverage limitations if a recommendation or guideline does not specify the frequency, method, treatment, or setting for the provision of a recommended preventive service. Reasonable medical management techniques may include precertification, concurrent review, claim review, or similar practices to determine coverage limitations under the plan. These established reasonable medical management techniques and practices may be utilized to determine frequency, method, treatment or setting for the provision of a recommended preventive service.

Reporting Preventive Care Services

ALL ICD-10, CPT® and HCPCS codes billed for a preventive service should follow standard coding guidelines, including those related to an unacceptable primary and principal diagnosis. Preventive care services are reported with diagnosis and procedure codes which identify the services as preventive and not for treatment of injury or illness. (Reference chart below). Age or frequency limits are utilized for certain designated services (i.e., wellness exams, vision and hearing screening, services related to prevention of falls, nutritional and genetic counseling). Preventive care services submitted with diagnosis codes that represent treatment of illness or injury will be paid as applicable under normal medical benefits rather than preventive care coverage.

Modifier 33

Cigna does not process preventive care claims solely based on the presence of modifier 33, which was developed by the industry in response to the ACA's preventive service requirements. Preventive care services are dependent upon claim submission using preventive diagnosis and procedure codes in order to be identified and covered as preventive care services.

Additional Preventive Care Services

In addition to the designated services identified by ACA sources, adult wellness examinations, prostate cancer screening, double contrast barium enema for colorectal cancer screening, and venipuncture associated with preventive laboratory screenings are covered under the benefit as preventive care services. Professional society statements and guidelines may vary and are not considered part of ACA sources.

Page 15 of 44

Coding Information

Notes:

- 1. This list of codes may not be all-inclusive since the American Medical Association (AMA) and Centers for Medicare and Medicaid Services (CMS) code updates may occur more frequently than policy updates.
- 2. Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement.

<u>Considered Covered when criteria in the applicable policy statements listed above are</u> met:

Wellness Examinations

Covered when used to report wellness examinations, well-woman examinations or women's services related to contraception management:

CPT®* Codes	Description
99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)
99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)
99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)
99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)
99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years
99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years
99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older

Page 16 of 44

CPT®* Codes	Description
99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)
99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)
99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)
99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)
99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years
99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years
99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older
99459 99461	Pelvic examination (List separately in addition to code for primary procedure) Initial care, per day, for evaluation and management of normal newborn infant seen in other than hospital or birthing center

HCPCS Codes	Description
G0402	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of Medicare enrollment
G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
S0610	Annual gynecological examination, new patient
S0612	Annual gynecological examination, established patient
S0613	Annual gynecological examination; clinical breast examination without pelvic evaluation

Page 17 of 44 Administrative Policy: A004

Preventive Care Screenings and Interventions

Covered when used to report preventive care screenings and interventions, not for treatment of illness or injury:

CPT®*	Description
Codes	
00812	Anesthesia for lower intestinal endoscopic procedures, endoscope introduced distal to duodenum; screening colonoscopy
00813	Anesthesia for combined upper and lower gastrointestinal endoscopic procedures, endoscope introduced both proximal to and distal to the duodenum
00840	Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; not otherwise specified
00851	Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; tubal ligation/transection
11976	Removal, implantable contraceptive capsules
11981	Insertion, drug-delivery implant (ie, bioresorbable, biodegradable, non-biodegradable)
11982	Removal, non-biodegradable drug delivery implant
11983	Removal with reinsertion, non-biodegradable drug delivery implant
36415	Collection of venous blood by venipuncture
36416	Collection of capillary blood specimen (e.g., finger, heel, ear stick)
45330	Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)
45331	Sigmoidoscopy, flexible; with biopsy, single or multiple
45333	Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps
45338	Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique
45346	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)
45378	Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)
45380	Colonoscopy, flexible; with biopsy, single or multiple
45381	Colonoscopy, flexible; with directed submucosal injection(s), any substance
45384	Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps
45385	Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique
45388	Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)
45390	Colonoscopy, flexible; with endoscopic mucosal resection
57170	Diaphragm or cervical cap fitting with instructions
58300	Insertion of intrauterine device (IUD)
58301	Removal of intrauterine device (IUD)
58600	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, unilateral or bilateral
58605	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization (separate procedure)

Page 18 of 44

CPT®*	Description
Codes	Description:
58611	Ligation or transection of fallopian tube(s) when done at the time of cesarean
	delivery or intra-abdominal surgery (not a separate procedure) (List separately in
	addition to code for primary procedure)
58615	Occlusion of fallopian tube(s) by device (eg, band, clip, Falope ring) vaginal or
	suprapubic approach
58661	Laparoscopy, surgical; with removal of adnexal structures (partial or total
	oophorectomy and/or salpingectomy
58670	Laparoscopy, surgical; with fulguration of oviducts (with or without transection)
58671	Laparoscopy, surgical; with occlusion of oviducts by device (eg, band, clip, or
74074	Falope ring)
71271	Computed tomography, thorax, low dose for lung cancer screening, without
74262	contrast materials(s)
74263	Computed tomographic (CT) colonography, screening, including image
74270	postprocessing Radiologic examination, colon, including scout abdominal radiograph(s) and delayed
74270	image(s), when performed; single-contrast (eg, barium) study
74280	Radiologic examination, colon, including scout abdominal radiograph(s) and delayed
74200	image(s), when performed; double-contrast (eg, high density barium and air)
	study, including glucagon, when administered
76706	Ultrasound, abdominal aorta, real time with image documentation, screening study
	for abdominal aortic aneurysm (AAA)
76977	Ultrasound bone density measurement and interpretation, peripheral site(s), any
	method
77063	Screening digital breast tomosynthesis, bilateral (List separately in addition to code
	for primary procedure)
77065	Diagnostic mammography, including computer-aided detection (CAD) when
	performed; unilateral
77066	Diagnostic mammography, including computer-aided detection (CAD) when
77067	performed; bilateral
77067	Screening mammography, bilateral (2-view study of each breast), including
77070	computer-aided detection (CAD) when performed
77078	Computed tomography, bone mineral density study, 1 or more sites; axial skeleton
77080	(eg, hips, pelvis, spine) Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial
77000	skeleton (eg, hips, pelvis, spine)
77081	Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites;
7,001	appendicular skeleton (peripheral) (eg, radius, wrist, heel)
80061	Lipid panel This panel must include the following: Cholesterol, serum, total (82465)
	Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol)
	(83718) Triglycerides (84478)
80081	Obstetric panel (includes HIV testing)
81025	Urine pregnancy test, by visual color comparison methods
81162	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated)
	(eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
	and full duplication/deletion analysis (ie, detection of large gene rearrangements)
81163	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated)
0445:	(eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis
81164	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated)
	(eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion
	analysis (ie, detection of large gene rearrangements)

CPT®*	Description
Codes	
81165	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer)
	gene analysis; full sequence analysis
81166	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer)
	gene analysis; full duplication/deletion analysis (ie, detection of large gene
	rearrangements)
81167	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer)
	gene analysis; full duplication/deletion analysis (ie, detection of large gene
	rearrangements)
81212	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated)
	(eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC,
01015	6174delT variants
81215	BRCA1 (BRCA1, DNA repair associated) (eg, hereditary breast and ovarian cancer)
01016	gene analysis; known familial variant
81216	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer)
81217	gene analysis; full sequence analysis
01217	BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant
81528	Oncology (colorectal) screening, quantitative real-time target and signal
01320	amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4
	and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or
	negative result
82247	Bilirubin, total
82270	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive
	collected specimens with single determination, for colorectal neoplasm screening
	(ie, patient was provided 3 cards or single triple card for consecutive collection)
82274	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative,
	feces, 1-3 simultaneous determinations
82465	Cholesterol, serum or whole blood, total
82565	Creatinine; blood
82575	Creatinine; clearance
82610	Cystatin C
82947	Glucose; quantitative, blood (except reagent strip)
82948	Glucose; blood, reagent strip
82950	Glucose; post glucose dose (includes glucose)
82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	Glucose; tolerance test, each additional beyond 3 specimens (List separately in
02026	addition to code for primary procedure)
83036	Hemoglobin; glycosylated (A1C)
83655	Lead
83718 83721	Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol) Lipoprotein, direct measurement; LDL cholesterol
84030	Phenylalanine (PKU), blood
84152	Prostate specific antigen (PSA); complexed (direct measurement)
84153	Prostate specific antigen (PSA); total
84154	Prostate specific antigen (PSA); free
84436	Thyroxine; total
84437	Thyroxine; requiring elution (eg, neonatal)
84443	Thyroid stimulating hormone (TSH)
84478	Triglycerides

Page 20 of 44 Administrative Policy: A004

CPT®* Codes	Description
84703	Gonadotropin, chorionic (hCG); qualitative
85013	Blood count; spun microhematocrit
85014	Blood count; hematocrit (Hct)
85018	Blood count; hemoglobin (Hgb)
85025	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)
03023	and automated differential WBC count
85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)
85041	Blood count; red blood cell (RBC), automated
85660	Sickling of RBC, reduction
86480	Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon
86481	Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon-producing T-cells in cell suspension
86580	Skin test; tuberculosis, intradermal
86592	Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)
86593	Syphilis test, non-treponemal antibody; quantitative
86631	Antibody; Chlamydia
86632	Antibody; Chlamydia, IgM
86701	Antibody; HIV-1
86702	Antibody; HIV-2
86703	Antibody; HIV-1 and HIV-2, single result
86704	Hepatitis B core antibody (HbcAb); total
86705	Hepatitis B core antibody (HbcAb); IgM antibody
86706	Hepatitis B surface antibody (HbsAb)
86780	Antibody; Treponema pallidum
86803	Hepatitis C antibody;
86900	Blood typing, serologic; ABO
86901	Blood typing, serologic; Rh (D)
87086	Culture, bacterial; quantitative colony count, urine
87088	Culture, bacterial; with isolation and presumptive identification of each isolate, urine
87110	Culture, chlamydia, any source
87270	Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis
87320	Infectious agent antigen detection by enzyme immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; Chlamydia trachomatis
87340	Infectious agent antigen detection by immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; hepatitis B surface antigen (HbsAg)
87341	Infectious agent antigen detection by immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; hepatitis B surface antigen (HbsAg) neutralization
87389	Infectious agent antigen detection by immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or

CPT®* Codes	Description
	semiquantitative method; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result
87390	Infectious agent antigen detection by enzyme immunoassay technique (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method; HIV-1
87391	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-2
87490	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique
87491	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique
87492	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification
87516	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
87520	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique
87521	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed
87522	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
87534	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique
87535	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed
87536	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed
87537	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique
87538	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique, includes reverse transcription when performed
87539	Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification, includes reverse transcription when performed
87590	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique
87591	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique
87624	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)
87625	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed
87626	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), separately reported high-risk types (eg, 16, 18, 31, 45, 51, 52) and high-risk pooled result(s)
87800	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique

Page 22 of 44 Administrative Policy: A004

CPT®* Codes	Description
87801	Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique
87806	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies
87810	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Chlamydia trachomatis
87850	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Neisseria gonorrhoeae
88141	Cytopathology, cervical or vaginal (any reporting system), requiring interpretation by physician
88142	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision
88143	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision
88147	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision
88148	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision
88150	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision
88152	Cytopathology, slides, cervical or vaginal; with manual screening and computerassisted rescreening under physician supervision
88153	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision
88164	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision
88165	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision
88166	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening under physician supervision
88167	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening using cell selection and review under physician supervision
88174	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision
88175	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision
88302	Level II – Surgical pathology, gross and microscopic examination
88305	Level IV – Surgical pathology, gross and microscopic
88720	Bilirubin, total, transcutaneous
90380	Respiratory syncytial virus, monoclonal antibody, seasonal dose; 0.5 mL dosage, for intramuscular use
90381	Respiratory syncytial virus, monoclonal antibody, seasonal dose; 1 mL dosage, for intramuscular use

Page 23 of 44 Administrative Policy: A004

CPT®*	Description
Codes	
90460	Immunization administration through 18 years of age via any route of
	administration, with counseling by physician or other qualified health care
	professional; first or only component of each vaccine or toxoid administered
90461	Immunization administration through 18 years of age via any route of
	administration, with counseling by physician or other qualified health care
	professional; each additional vaccine or toxoid component administered (List
00471	separately in addition to code for primary procedure)
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or
	intramuscular injections); each additional vaccine (single or combination
00470	vaccine/toxoid) (List separately in addition to code for primary procedure)
90473	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid)
90474	Immunization administration by intranasal or oral route; each additional vaccine
	(single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)
90480	Immunization administration by intramuscular injection of severe acute respiratory
	syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine,
	single dose
90587	Dengue vaccine, quadrivalent, live, 3 dose schedule, for subcutaneous use
90611	Smallpox and monkeypox vaccine, attenuated vaccinia virus, live, non-replicating,
	preservative free, 0.5 mL dosage, suspension, for subcutaneous use
90619	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use
90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB-4C), 2 dose schedule, for intramuscular use
90621	Meningococcal recombinant lipoprotein vaccine, serogroup B (MenB-FHbp), 2 or 3
	dose schedule, for intramuscular use
90622†	Vaccinia (smallpox) virus vaccine, live, lyophilized, 0.3 mL dosage, for
	percutaneous use
90623	Meningococcal pentavalent vaccine, conjugated Men A, C, W, Y-tetanus toxoid carrier, and Men B-FHbp, for intramuscular use
90630	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for
70030	intradermal use
90632	Hepatitis A vaccine (HepA), adult dosage, for intramuscular use
90633	Hepatitis A vaccine (HepA), pediatric/adolescent dosage-2 dose schedule, for
= =	intramuscular use
90634	Hepatitis A vaccine (HepA), pediatric/adolescent dosage-3 dose schedule, for
	intramuscular use
90636	Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular
00644	use
90644	Meningococcal conjugate vaccine, serogroups C & Y and Haemophilus 24nfluenza
	type b vaccine (Hib-MenCY), 4 dose schedule, when administered to children 6 weeks-18 months of age, for intramuscular use is this recommended-looks like no
90647	Haemophilus influenza type b vaccine (Hib), PRP-OMP conjugate, 3 dose schedule, for intramuscular use
90648	Haemophilus influenza type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for
	intramuscular use

Page 24 of 44 Administrative Policy: A004

CPT®* Codes	Description
90649	Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose
30013	schedule, for intramuscular use
90650	Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use
90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 2 or 3 dose schedule, for intramuscular use
90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90656	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.5 mL dosage, for intramuscular use
90657	Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use
90658	Influenza virus vaccine, trivalent (IIV3), split virus, 0.5 mL dosage, for intramuscular use
90661	Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular use
90662	Influenza virus vaccine (IIV), split virus, preservative free, enhanced
	immunogenicity via increased antigen content, for intramuscular use
90670	Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use
90671	Pneumococcal conjugate vaccine, 15 valent (PCV15), for intramuscular use
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal
90674	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit,
	preservative and antibiotic free, 0.5 mL dosage, for intramuscular use
90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use
90678	Respiratory syncytial virus vaccine, preF, subunit, bivalent, for intramuscular use
90679	Respiratory syncytial virus vaccine, preF, recombinant, subunit, adjuvanted, for intramuscular use
90680	Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use
90681	Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90683	Respiratory syncytial virus vaccine, mRNA lipid nanoparticles, for intramuscular use
90684	Pneumococcal conjugate vaccine, 21 valent (PCV21), for intramuscular use
90685	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL, for intramuscular use
90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5mL dosage, for intramuscular use
90687	Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use
90688	Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.5 mL dosage, for intramuscular use
90689	Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular use
90694	Influenza virus vaccine, quadrivalent (aIIV4), inactivated, adjuvanted, preservative free, 0.5 mL dosage, for intramuscular use
90696	Diphtheria, tetanus toxoids, acellular pertussis vaccine and inactivated poliovirus vaccine (DtaP-IPV), when administered to children 4 through 6 years of age, for intramuscular use

Page 25 of 44 Administrative Policy: A004

CPT®* Codes	Description
90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus 26 influenza type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DtaP-IPV-Hib-HepB), for intramuscular use
90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus 26 influenza type b, and inactivated poliovirus vaccine (DtaP-IPV/Hib), for intramuscular use
90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DtaP), when administered to individuals younger than 7 years, for intramuscular use
90702	Diphtheria and tetanus toxoids adsorbed (DT) when administered to individuals younger than 7 years, for intramuscular use
90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use
90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use
90713	Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use
90714	Tetanus and diphtheria toxoids adsorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use
90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use
90716	Varicella virus vaccine (VAR), live, for subcutaneous use
90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine (DtaP-HepB-IPV), for intramuscular use
90732	Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use
90733	Meningococcal polysaccharide vaccine, serogroups A, C, Y, W-135, quadrivalent (MPSV4), for subcutaneous use
90734	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, diphtheria toxoid carrier (MenACWY-D) or CRM197 carrier (MenACWY-CRM) for intramuscular use
90736	Zoster (shingles) vaccine (HZV), live, for subcutaneous injection
90739	Hepatitis B vaccine (HepB), CpG-adjuvanted, adult dosage, 2 dose or 4 dose schedule, for intramuscular use
90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use
90743	Hepatitis B vaccine (HepB), adolescent, 2 dose schedule, for intramuscular use
90744	Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule, for intramuscular use
90746	Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use
90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use
90748	Hepatitis B and Haemophilus 26 influenza type b vaccine (Hib-HepB), for intramuscular use
90750	Zoster (shingles) vaccine (HZV), recombinant, sub-unit, adjuvanted, for intramuscular injection
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5mL dosage, for intramuscular use
90759	Hepatitis B vaccine (HepB), 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose schedule, for intramuscular use
91304	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, 5 mcg/0.5mL dosage, for intramuscular use

Page 26 of 44 Administrative Policy: A004

CPT®*	Description
Codes	
91318	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
71010	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 3 mcg/0.23 mL dosage,
	tris-sucrose formulation, for intramuscular use
91319	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 10 mcg/0.3 mL dosage,
	tris-sucrose formulation, for intramuscular use
91320	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, 30 mcg/0.3 mL dosage,
	tris-sucrose formulation, for intramuscular use
91321	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNA-LNP, 25 mcg/0.25 mL dosage, for
	intramuscular use
91322	Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus
	disease [COVID-19]) vaccine, mRNALNP, 50 mcg/0.5 mL dosage, for intramuscular
	use
92550	Tympanometry and reflex threshold measurements
92551	Screening test, pure tone, air only
92552	Pure tone audiometry (threshold); air only
92553	Pure tone audiometry (threshold); air and bone
92558	Evoked otoacoustic emissions, screening (qualitative measurement of distortion
	product or transient evoked otoacoustic emissions), automated analysis
92567	Tympanometry (impedance testing)
92568	Acoustic reflex testing, threshold
92579	Visual reinforcement audiometry (VRA)
92582	Conditioning play audiometry
92583	Select picture audiometry
92587	Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the
	presence or absence of hearing disorder, 3-6 frequencies) or transient evoked
	otoacoustic emissions, with interpretation and report
92588	Distortion product evoked otoacoustic emissions; comprehensive diagnostic
	evaluation (quantitative analysis of outer hair cell function by cochlear mapping,
	minimum of 12 frequencies), with interpretation and report
92650	Auditory evoked potentials; screening of auditory potential with broadband stimuli,
	automated analysis
92651	Auditory evoked potentials; for hearing status determination, broadband stimuli,
	with interpretation and report
93784	Ambulatory blood pressure monitoring, utilizing report-generating software,
	automated, worn continuously for 24 hours or longer; including recording, scanning
	analysis, interpretation and report
93786	Ambulatory blood pressure monitoring, utilizing report-generating software,
	automated, worn continuously for 24 hours or longer; recording only
93788	Ambulatory blood pressure monitoring, utilizing report-generating software,
	automated, worn continuously for 24 hours or longer; scanning analysis with report
93790	Ambulatory blood pressure monitoring, utilizing report-generating software,
	automated, worn continuously for 24 hours or longer; review with interpretation
	and report
96040	Medical genetics and genetic counseling services, each 30 minutes face-to-face with
	patient/family (Code deleted 12/31/2024)
96041	Medical genetics and genetic counseling services, each 30 minutes of total time
	provided by the genetic counselor on the date of the encounter

Page 27 of 44 Administrative Policy: A004

CPT®*	Description
Codes	Beschiption .
96110	Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument
96127	Brief emotional/behavioral assessment (eg, depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument
96156	Health behavior assessment, or reassessment (ie., health focused clinical interview, behavioral observations, clinical decision making)
96158	Health behavior intervention, individual, face-to-face; initial 30 minutes
96159	Health behavior intervention, individual, face-to-face; each additional 15 minutes (List separately in addition to code for primary service)
96160	Administration of patient-focused health risk assessment instrument (eg, health hazard appraisal) with scoring and documentation, per standardized instrument
96161	Administration of caregiver-focused health risk assessment instrument (e.g., depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument)
96164	Health behavior intervention, group (2 or more patients), face-to-face; initial 30 minutes
96165	Health behavior intervention, group (2 or more patients), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)
96167	Health behavior intervention, family (with the patient present), face-to-face; initial 30 minutes
96168	Health behavior intervention, family (with the patient present), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)
96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular
96380	Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection, with counseling by physician or other qualified health care professional
96381	Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection
97110	Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility
97112	Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities
97113	Therapeutic procedure, 1 or more areas, each 15 minutes; aquatic therapy with therapeutic exercises
97116	Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)
97150	Therapeutic procedure(s), group (2 or more individuals)
97161	Physical therapy evaluation; low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measureable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.

CPT®*	Description
Codes 97162	Physical therapy evaluation: moderate complexity, requiring these components: A
<i>3</i> , 102	history of present problem with 1-2 personal factors and/or comorbidities that
	impact the plan of care; An examination of body systems using standardized tests
	and measures in addressing a total of 3 or more elements from any of the
	following: body structures and functions, activity limitations, and/or participation
	restrictions; An evolving clinical presentation with changing characteristics; and
	Clinical decision making of moderate complexity using standardized patient
	assessment instrument and/or measurable assessment of functional outcome.
07460	Typically, 30 minutes are spent face-to-face with the patient and/or family
97163	Physical therapy evaluation: high complexity, requiring these components: A
	history of present problem with 3 or more personal factors and/or comorbidities
	that impact the plan of care; An examination of body systems using standardized
	tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation
	restrictions; A clinical presentation with unstable and unpredictable characteristics;
	and Clinical decision making of high complexity using standardized patient
	assessment instrument and/or measureable assessment of functional outcome.
	Typically, 45 minutes are spent face-to-face with the patient and/or family.
97164	Re-evaluation of physical therapy established plan of care, requiring these
	components: An examination including a review of history and use of standardized
	tests and measures is required; and Revised plan of care using a standardized
	patient assessment instrument and/or measurable assessment of functional
	outcome. Typically, 20 minutes are spent face-to-face with the patient and/or
	family.
97530	Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities
	to improve functional performance), each 15 minutes
97802	Medical nutrition therapy; initial assessment and intervention, individual, face-to-
07000	face with the patient, each 15 minutes
97803	Medical nutrition therapy; re-assessment and intervention, individual, face-to-face
07004	with the patient, each 15 minutes
97804 99152	Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes Moderate sedation services provided by the same physician or other qualified health
99132	care professional performing the diagnostic or therapeutic service that the sedation
	supports, requiring the presence of an independent trained observer to assist in the
	monitoring of the patient's level of consciousness and physiological status; initial 15
	minutes of intraservice time, patient age 5 years or older
99153	Moderate sedation services provided by the same physician or other qualified health
	care professional performing the diagnostic or therapeutic service that the sedation
	supports, requiring the presence of an independent trained observer to assist in the
	monitoring of the patient's level of consciousness and physiological status; each
	additional 15 minutes intraservice time (List separately in addition to code for
	primary service)
99156	Moderate sedation services provided by a physician or other qualified health care
	professional other than the physician or other qualified health care professional
	performing the diagnostic or therapeutic service that the sedation supports; initial
00157	15 minutes of intraservice time, patient age 5 years or older
99157	Moderate sedation services provided by a physician or other qualified health care
	professional other than the physician or other qualified health care professional
	performing the diagnostic or therapeutic service that the sedation supports; each

CPT®* Codes	Description
coucs	additional 15 minutes intraservice time (List separately in addition to code for primary service)
99173	Screening test of visual acuity, quantitative, bilateral
99174	Instrument-based ocular screening (eg, photoscreening, automated-refraction),
33171	bilateral; with remote analysis and report
99177	Instrument-based ocular screening (eg, photoscreening, automated-refraction), bilateral; with on-site analysis
99188	Application of topical fluoride varnish by a physician or other qualified health care
JJ100	professional
99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes
99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes
99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes
99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided
99406	to an individual (separate procedure); approximately 60 minutes Smoking and tobacco use cessation counseling visit; intermediate, greater than 3
22127	minutes up to 10 minutes
99407	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes
99408	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes
99409	Alcohol and/or substance (other than tobacco) abuse structured screening (eg,
33 103	AUDIT, DAST), and brief intervention (SBI) services; greater than 30 minutes
99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes
99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes
99473	Self-measured blood pressure using a device validated for clinical accuracy; patient education/training and device calibration
99474	Self-measured blood pressure using a device validated for clinical accuracy;
JJ474	separate self-measurements of two readings one minute apart, twice daily over a
	30 day period (minimum of 12 readings), collection of data reported by the patient
	and/or caregiver to the physician or other qualified health care professional, with
	report of average systolic and diastolic pressures and subsequent communication of
	a treatment plan to the patient
0403T	Preventive behavior change, intensive program of prevention of diabetes using a
0 1031	standardized diabetes prevention program curriculum, provided to individuals in a
	group setting, minimum 60 minutes, per day
0488T	Preventive behavior change, online/electronic structured intensive program for
0 1001	prevention of diabetes using a standardized diabetes prevention program
	curriculum, provided to an individual, per 30 days
0500T	Infectious agent detection by nucleic acid (DNA or RNA), human papillomavirus
	(HPV) for five or more separately reported high-risk HPV types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) (ie, genotyping) (Code deleted 12/31/2024)
0792T	Application of silver diamine fluoride 38%, by a physician or other qualified health
0/ 1/21	care professional
0064U	Antibody, Treponema pallidum, total and rapid plasma reagin (RPR), immunoassay,
555.5	qualitative

Page 30 of 44 Administrative Policy: A004

CPT®*	Description
Codes	
0455U	Infectious agents (sexually transmitted infection), Chlamydia trachomatis, Neisseria gonorrhoeae, and Trichomonas vaginalis, multiplex amplified probe technique, vaginal, endocervical, gynecological specimens, oropharyngeal swabs, rectal swabs, female or male urine, each pathogen reported as detected or not detected

$^\dagger \underline{\text{Note}}$: The cost of government provided and funded vaccinations is not covered. The administration of the vaccine is covered.

HCPCS	Description
Codes	
A4261	Cervical cap for contraceptive use
A4266	Diaphragm for contraceptive use
A4267	Contraceptive supply, condom, male, each
A4268	Contraceptive supply, condom, female, each
A4269	Contraceptive supply, spermicide (e.g., foam, gel), each
A4281	Tubing for breast pump, replacement
A4282	Adapter for breast pump, replacement
A4283	Cap for breast pump bottle, replacement
A4284	Breast shield and splash protector for use with breast pump, replacement
A4285	Polycarbonate bottle for use with breast pump, replacement
A4286	Locking ring for breast pump, replacement
A4287	Disposable collection and storage bag for breast milk, any size, any type, each
A4660	Sphygmomanometer/blood pressure apparatus with cuff and stethoscope
A4663	Blood pressure cuff only
A4670	Automatic blood pressure monitor
E0602	Breast pump, manual, any type
A9293	Fertility cycle (contraception & conception) tracking software application, fda
	cleared, per month, includes accessories (e.g., thermometer)
E0603	Breast pump, electric (AC and/or DC), any type
E0604	Breast pump, hospital grade, electric (AC and/or DC), any type
G0008	Administration of influenza virus vaccine
G0009	Administration of pneumococcal vaccine
G0010	Administration of hepatitis B vaccine
G0011	Individual counseling for pre-exposure prophylaxis (prep) by physician or qualified
	health care professional (qhp)to prevent human immunodeficiency virus (hiv),
	includes hiv risk assessment (initial or continued assessment of risk), hiv risk
	reduction and medication adherence, 15-30 minutes
G0012	Injection of pre-exposure prophylaxis (prep) drug for hiv prevention, under skin or
	into muscle
G0013	Individual counseling for pre-exposure prophylaxis (prep) by clinical staff to prevent
	human immunodeficiency virus (hiv), includes: hiv risk assessment (initial or
	continued assessment of risk), hiv risk reduction and medication adherence
G0101	Cervical or vaginal cancer screening; pelvic and clinical breast examination
G0103	Prostate cancer screening; prostate specific antigen test (PSA)
G0104	Colorectal cancer screening; flexible sigmoidoscopy
G0105	Colorectal cancer screening; colonoscopy on individual at high risk
G0106	Colorectal cancer screening; alternative to G0104, screening sigmoidoscopy, barium enema (Code deleted 12/31/2024)

Page 31 of 44 Administrative Policy: A004

HCPCS Codes	Description
G0120	Colorectal cancer screening; alternative to G0105, screening colonoscopy, barium
G0120	enema (Code deleted 12/31/2024)
G0121	Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk
G0122	Colorectal cancer screening; barium enema (Code deleted 12/31/2024)
G0123	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
G0124	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, requiring interpretation by physician
G0130	Single energy x-ray absorptiometry (SEXA) bone density study, one or more sites; appendicular skeleton (peripheral) (e.g., radius, wrist, heel)
G0141	Screening cytopathology smears, cervical or vaginal, performed by automated system, with manual rescreening, requiring interpretation by physician
G0143	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
G0144	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision
G0145	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
G0147	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
G0148	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
G0159	Services performed by a qualified physical therapist, in the home health setting, in the establishment or delivery of a safe and effective physical therapy maintenance program, each 15 minutes
G0296	Counseling visit to discuss need for lung cancer screening using low dose CT scan (LDCT) (service is for eligibility determination and shared decision making)
G0306	Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count
G0307	Complete (CBC), automated (HgB, Hct, RBC, WBC; without platelet count)
G0328	Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous determinations
G0396	Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g., audit), and brief intervention 15 to 30 minutes
G0397	Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g., audit), and intervention, greater than 30 minutes
G0432	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening
G0433	Infectious agent antibody detection by enzyme-linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening
G0435	Infectious agent antigen detection by rapid antibody test, HIV-1 and/or HIV-2, screening
G0442	Annual alcohol misuse screening, 15 minutes
G0443	Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes

Page 32 of 44 Administrative Policy: A004

HCPCS Codes	Description
G0444	Annual depression screening, 15 minutes
G0445	Semiannual high intensity behavioral counseling to prevent STIs, individual, face-to-face, includes education skills training & guidance on how to change sexual behavior
G0446	Annual, face-to-face intensive behavioral therapy for cardiovascular disease, individual, 15 minutes
G0447	Face-to-face behavioral counseling for obesity, 15 minutes
G0451	Development testing, with interpretation and report, per standardized instrument form
G0472	Hepatitis C antibody screening for individual at high risk and other covered indication(s)
G0473	Face-to-face behavioral counseling for obesity, group (2-10), 30 minutes
G0475	HIV antigen/antibody, combination assay, screening
G0476	Infectious agent detection by nucleic acid (DNA or RNA); human papillomavirus HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical cancer screening, must be performed in addition to pap test
G0499	Hepatitis B screening in non-pregnant, high risk individual includes hepatitis B surface antigen (HBsAG), antibodies to HBsAG (anti-HBs) and antibodies to hepatitis B core antigen (anti-hbc), and is followed by a neutralizing confirmatory test when performed, only for initially reactive HBsAG result
G0500	Moderate sedation services provided by the same physician or other qualified health care professional performing a gastrointestinal endoscopic service that sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intra-service time; patient age 5 years or older (additional time may be reported with 99153, as appropriate)
G0513	Prolonged preventive service(s) (beyond the typical service time of the primary procedure), in the office or other outpatient setting requiring direct patient contact beyond the usual service; first 30 minutes (list separately in addition to code for preventive service)
G0514	Prolonged preventive service(s) (beyond the typical service time of the primary procedure), in the office or other outpatient setting requiring direct patient contact beyond the usual service; first 30 minutes (list separately in addition to code G0513 for additional 30 minutes of preventive service)
G0567	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, screening, amplified probe technique
G2011	Alcohol and/or substance (other than tobacco) abuse structured assessment (eg, audit/dast) and brief intervention, 5-14 minutes
G9873	First Medicare Diabetes Prevention Program (MDPP) core session was attended by an MDPP beneficiary under the MDPP Expanded Model (EM). A core session is an MDPP service that: (1) is furnished by an MDPP supplier during months 1 through 6 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for core sessions
G9874	Four total Medicare Diabetes Prevention Program (MDPP) core sessions were attended by an MDPP beneficiary under the MDPP Expanded Model (EM). A core session is an MDPP service that: (1) is furnished by an MDPP supplier during months 1 through 6 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for core sessions.
G9875	Nine total Medicare Diabetes Prevention Program (MDPP) core sessions were attended by an MDPP beneficiary under the MDPP Expanded Model (EM). A core

Page 33 of 44 Administrative Policy: A004

HCPCS Codes	Description
	session is an MDPP service that: (1) is furnished by an MDPP supplier during months 1 through 6 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for core sessions
G9876	Two Medicare Diabetes Prevention Program (MDPP) core maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 7-9 under the MDPP Expanded Model (EM). A core maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 7 through 12 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary did not achieve at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one inperson weight measurement at a core maintenance session in months 7-9
G9877	Two Medicare Diabetes Prevention Program (MDPP) core maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 10-12 under the MDPP Expanded Model (EM). A core maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 7 through 12 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary did not achieve at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one inperson weight measurement at a core maintenance session in months 10-12
G9878	Two Medicare Diabetes Prevention Program (MDPP) core maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 7-9 under the MDPP Expanded Model (EM). A core maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 7 through 12 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary achieved at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one inperson weight measurement at a core maintenance session in months 7-9
G9879	Two Medicare Diabetes Prevention Program (MDPP) core maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 10-12 under the MDPP Expanded Model (EM). A core maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 7 through 12 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary achieved at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one inperson weight measurement at a core maintenance session in months 10-12
G9880	The MDPP beneficiary achieved at least 5% weight loss (WL) from his/her baseline weight in months 1-12 of the MDPP services period under the MDPP Expanded Model (EM). This is a one-time payment available when a beneficiary first achieves at least 5% weight loss from baseline as measured by an in-person weight measurement at a core session or core maintenance session
G9881	The MDPP beneficiary achieved at least 9% weight loss (WL) from his/her baseline weight in months 1-24 under the MDPP Expanded Model (EM). This is a one-time payment available when a beneficiary first achieves at least 9% weight loss from baseline as measured by an in-person weight measurement at a core session, core maintenance session, or ongoing maintenance session
G9882	Two Medicare Diabetes Prevention Program (MDPP) ongoing maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 13-15 under the MDPP Expanded Model (EM). An ongoing maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 13 through 24 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-

HCPCS Codes	Description
	approved DPP curriculum for maintenance sessions. The beneficiary maintained at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one in-person weight measurement at an ongoing maintenance session in months 13-15
G9883	Two Medicare Diabetes Prevention Program (MDPP) ongoing maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 16-18 under the MDPP Expanded Model (EM). An ongoing maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 13 through 24 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary maintained at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one in-person weight measurement at an ongoing maintenance session in months 16-18
G9884	Two Medicare Diabetes Prevention Program (MDPP) ongoing maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 19-21 under the MDPP Expanded Model (EM). An ongoing maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 13 through 24 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary maintained at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one in-person weight measurement at an ongoing maintenance session in months 19-21
G9885	Two Medicare Diabetes Prevention Program (MDPP) ongoing maintenance sessions (MS) were attended by an MDPP beneficiary in months (mo) 22-24 under the MDPP Expanded Model (EM). An ongoing maintenance session is an MDPP service that: (1) is furnished by an MDPP supplier during months 13 through 24 of the MDPP services period; (2) is approximately 1 hour in length; and (3) adheres to a CDC-approved DPP curriculum for maintenance sessions. The beneficiary maintained at least 5% weight loss (WL) from his/her baseline weight, as measured by at least one in-person weight measurement at an ongoing maintenance session in months 22-24
G9886	Behavioral counseling for diabetes prevention, in-person, group, 60 minutes
G9887	Behavioral counseling for diabetes prevention, distance learning, 60 minutes
G9888 G9890	Maintenance 5% wl from baseline weight in months 7-12 Bridge Payment: A one-time payment for the first Medicare Diabetes Prevention Program (MDPP) core session, core maintenance session, or ongoing maintenance session furnished by an MDPP supplier to an MDPP beneficiary during months 1-24 of the MDPP Expanded Model (EM) who has previously received MDPP services from a different MDPP supplier under the MDPP Expanded Model. A supplier may only receive one bridge payment per MDPP beneficiary
J0739	Injection, cabotegravir, 1 mg
J0750	Emtricitabine 200mg and tenofovir disoproxil fumarate 300mg, oral, fda approved prescription, only for use as hiv pre-exposure prophylaxis (not for use as treatment of hiv)
J0751	Emtricitabine 200mg and tenofovir alafenamide 25mg, oral, fda approved prescription, only for use as hiv pre-exposure prophylaxis (not for use as treatment of hiv)
J0799	Fda approved prescription drug, only for use as hiv pre-exposure prophylaxis (not for use as treatment of hiv), not otherwise classified
J1050	Injection, medroxyprogesterone acetate, 1 mg

HCPCS Codes	Description
J3530	Nasal vaccine inhalation
J7294	Segesterone acetate and ethinyl estradiol 0.15 mg, 0.013 mg per 24 hours; yearly vaginal system, each
J7295	Ethinyl estradiol and etonogestrel 0.015 mg, 0.12 mg per 24 hours; monthly vaginal ring, each
J7296	Levonorgestrel-releasing intrauterine contraceptive system, (Kyleena), 19.5 mg
J7297	Levonorgestrel-releasing intrauterine contraceptive system, (Liletta), 52 mg
J7298	Levonorgestrel-releasing intrauterine contraceptive system, (Mirena), 52 mg
J7300	Intrauterine copper contraceptive
J7301	Levonorgestrel-releasing intrauterine contraceptive system, (Skyla), 13.5 mg
J7304	Contraceptive supply, hormone containing patch, each
J7307	Etonogestrel (contraceptive) implant system, including implant and supplies
K1005	Disposable collection and storage bag for breast milk, any size, any type, each (Code deleted 12/31/2023)
M0201	Covid-19 vaccine administration inside a patient's home; reported only once per individual home per date of service when only covid-19 vaccine administration is performed at the patient's home
P3000	Screening Papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision
P3001	Screening Papanicolaou smear, cervical or vaginal, up to three smears, requiring interpretation by physician
Q0091	Screening Papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory
Q0516	Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 30-days (Code deleted 12/31/2024)
Q0517	Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 60-days (Code deleted 12/31/2024)
Q0518	Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 90-days (Code deleted 12/31/2024)
Q0519	Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription injectable drug, per 30-days (Code deleted 12/31/2024)
Q0520	Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription injectable drug, per 60-days (Code deleted 12/31/2024)
Q0521	Pharmacy supplying fee for HIV pre-exposure prophylaxis FDA-approved prescription
Q2034	Influenza virus vaccine, split virus, for intramuscular use (Agriflu)
Q2035	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (AFLURIA)
Q2036	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLULAVAL)
Q2038	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (Fluzone)
Q2039	Influenza virus vaccine not otherwise specified
S0265	Genetic counseling, under physician supervision, each 15 minutes
S0285	Colonoscopy consultation performed prior to a screening colonoscopy procedure
S0302	Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)
S3620	Newborn metabolic screening panel, includes test kit, postage and the laboratory tests specified by the state for inclusion in this panel (e.g., galactose; hemoglobin,

Page 36 of 44 Administrative Policy: A004

HCPCS Codes	Description
	electrophoresis; hydroxyprogesterone, 17-d; phenylanine (PKU); and thyroxine, total)
S3645	HIV-1 antibody testing of oral mucosal transudate
S4981	Insertion of levonorgestrel-releasing intrauterine system
S8990	Physical or manipulative therapy performed for maintenance rather than restoration
S9131	Physical therapy; in the home, per diem
S9443	Lactation classes, nonphysician provider, per session
S9470	Nutritional counseling, dietitian visit
V5008	Hearing screening

Code Group 1
Interventions: Select the appropriate diagnosis code from the following:

ICD-10- CM	Description
Diagnosis	
Codes	
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z00.110	Health examination for newborn under 8 days old
Z00.111	Health examination for newborn 8 to 28 days old
Z00.121	Encounter for routine child health examination with abnormal findings
Z00.129	Encounter for routine child health examination without abnormal findings
Z00.3	Encounter for examination for adolescent development state
Z00.8	Encounter for other general examination
Z01.10	Encounter for examination of ears and hearing without abnormal findings
Z01.110	Encounter for hearing examination following failed hearing screening
Z01.118	Encounter for examination of ears and hearing with other abnormal findings
Z01.30	Encounter for examination of blood pressure without abnormal findings
Z01.31	Encounter for examination of blood pressure with abnormal findings
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal
	findings
Z11.1	Encounter for screening for respiratory tuberculosis
Z11.3	Encounter for screening for infections with a predominantly sexual mode of
	transmission
Z11.4	Encounter for screening for human immunodeficiency virus [HIV]
Z11.59	Encounter for screening for other viral diseases
Z11.8	Encounter for screening for other infectious and parasitic diseases
Z12.31	Encounter for screening mammogram for malignant neoplasm of breast
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.5	Encounter for screening for malignant neoplasm of prostate
Z13.1	Encounter for screening for diabetes mellitus
Z13.220	Encounter for screening for lipoid disorders
Z13.31	Encounter for screening for depression
Z13.32	Encounter for screening for maternal depression
Z13.39	Encounter for screening for other mental health and behavioral disorders
Z13.41	Encounter for autism screening
Z13.42	Encounter for screening for global developmental delays (milestones)

Page 37 of 44 Administrative Policy: A004

ICD-10-	Description
CM	
Diagnosis	
Codes	
Z13.49	Encounter for screening for other developmental delays
Z13.6	Encounter for screening for cardiovascular disorders
Z13.88	Encounter for screening for disorder due to exposure to contaminants
Z20.1	Contact with and (suspected) exposure to tuberculosis
Z20.2	Contact with and (suspected) exposure to infections with a predominantly sexual
	mode of transmission
Z20.5	Contact with and (suspected) exposure to viral hepatitis
Z20.6	Contact with and (suspected) exposure to human immunodeficiency virus [HIV]
Z29.81	Encounter for HIV pre-exposure prophylaxis
Z29.11	Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)
Z23	Encounter for immunization
Z31.5	Encounter for procreative genetic counseling
Z71.3	Dietary counseling and surveillance
Z71.7	Human immunodeficiency virus [HIV] counseling
Z71.83	Encounter for non-procreative genetic counseling
Z72.51	High risk heterosexual behavior
Z72.52	High risk homosexual behavior
Z72.53	High risk bisexual behavior
Z73.9	Problem related to life management difficulty, unspecified
Z76.1	Encounter for health supervision and care of foundling
Z76.2	Encounter for health supervision and care of other healthy infant and child
Z76.81	Expectant parent(s) prebirth pediatrician visit
Z80.3	Family history of malignant neoplasm of breast
Z80.41	Family history of malignant neoplasm of ovary
Z80.42	Family history of malignant neoplasm of prostate
Z82.62	Family history of osteoporosis
Z83.3	Family history of diabetes mellitus
Z83.42	Family history of familial hypercholesterolemia
Z85.3	Personal history of malignant neoplasm of breast
Z85.43	Personal history of malignant neoplasm of ovary
Z86.32	Personal history of gestational diabetes

Code Group 2

Fall Prevention: Use the following diagnosis codes only in combination with CPT codes 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0159, S8990, S9131

ICD-10- CM Diagnosis Codes	Description
M62.81	Muscle weakness (generalized)
R26.81	Unsteadiness on feet
R54	Age-related physical debility
Z91.81	History of falling

Page 38 of 44

Code Group 3

<u>Surgical Sterilization Procedures for Women</u>: Use the following diagnosis codes only in combination with CPT 58661

ICD-10- CM Diagnosis	Description
Codes	
Z30.2	Encounter for sterilization
Z30.40	Encounter for surveillance of contraceptives, unspecified
Z30.42	Encounter for surveillance of injectable contraceptive
Z30.49	Encounter for surveillance of other contraceptives
Z30.8	Encounter for other contraceptive management
Z30.9	Encounter for contraceptive management, unspecified
Z30.013	Encounter for initial prescription of injectable contraceptive

Code Group 4

<u>Contraceptives-Injection</u>: Use the following diagnosis codes only in combination with codes J1050 or 96372

ICD-10- CM Diagnosis Codes	Description
Z30.013	Encounter for initial prescription of injectable contraceptive
Z30.40	Encounter for surveillance of contraceptives, unspecified
Z30.42	Encounter for surveillance of injectable contraceptive
Z30.49	Encounter for surveillance of other contraceptives

Code Group 5

<u>Pathology/Follow-up Confirmation</u>: Use the following diagnosis codes only in combination with CPT code 88302

ICD-10- CM Diagnosis Codes	Description
Z30.2	Encounter for sterilization
Z30.49	Encounter for surveillance of other contraceptives
Z30.8	Encounter for other contraceptive management
Z30.9	Encounter for contraceptive management, unspecified

Code Group 6

<u>Blood Pressure Screening Outside Clinical Setting</u>: Use the following diagnosis code only in combination with CPT codes 93784, 93786, 93788, 93790, 99473, 99474; or HCPCS codes A4660, A4663, A4670

ICD-10- CM Diagnosis Codes	Description
R03.0	Elevated blood pressure reading, without diagnosis of hypertension

Page 39 of 44

Code Group 7 Abdominal Aortic Aneurysm Screening: Use the following diagnosis codes in combination with CPT 76706

ICD-10-CM Diagnosis Codes	Description
F17.200	Nicotine dependence, unspecified, uncomplicated
F17.201	Nicotine dependence, unspecified, in remission
F17.203	Nicotine dependence unspecified, with withdrawal
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
F17.210	Nicotine dependence, cigarettes, uncomplicated
F17.211	Nicotine dependence, cigarettes, in remission
F17.213	Nicotine dependence, cigarettes, with withdrawal
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
F17.220	Nicotine dependence, chewing tobacco, uncomplicated
F17.221	Nicotine dependence, chewing tobacco, in remission
F17.223	Nicotine dependence, chewing tobacco, with withdrawal
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
F17.290	Nicotine dependence, other tobacco product, uncomplicated
F17.291	Nicotine dependence, other tobacco product, in remission
F17.293	Nicotine dependence, other tobacco product, with withdrawal
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
	Nicotine dependence, other tobacco product, with unspecified nicotine-induced
F17.299	disorders
Z72.0	Tobacco use
Z87.91	Personal history of nicotine dependence

Code Group 8

Lung Cancer Screening and Lung Cancer Counseling- Use the following diagnosis codes in combination with CPT code 71271 and HCPCS code G0296:

Page 40 of 44

ICD-10-CM Diagnosis Codes	Description
F17.200	Nicotine dependence, unspecified, uncomplicated
F17.201	Nicotine dependence, unspecified, in remission
F17.203	Nicotine dependence unspecified, with withdrawal
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
F17.210	Nicotine dependence, cigarettes, uncomplicated
F17.211	Nicotine dependence, cigarettes, in remission
F17.213	Nicotine dependence, cigarettes, with withdrawal
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
F17.220	Nicotine dependence, chewing tobacco, uncomplicated
F17.221	Nicotine dependence, chewing tobacco, in remission
F17.223	Nicotine dependence, chewing tobacco, with withdrawal
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
F17.290	Nicotine dependence, other tobacco product, uncomplicated
F17.291	Nicotine dependence, other tobacco product, in remission
F17.293	Nicotine dependence, other tobacco product, with withdrawal
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders
Z12.2	Encounter for screening for malignant neoplasm of respiratory organs
Z72.0	Tobacco use
Z87.891	Personal history of nicotine dependence

<u>Code Group 9</u> <u>Cologuard- Use the following diagnosis codes in combination with CPT code 81528:</u>

ICD-10-CM Diagnosis Codes	Description
Z12.10	Encounter for screening for malignant neoplasm of intestinal tract, unspecified
Z12.11	Encounter for screening for malignant neoplasm of colon
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.13	Encounter for screening for malignant neoplasm of small intestine
Z80.0	Family history of malignant neoplasm of digestive organs
Z83.710	Family history of adenomatous and serrated polyps
Z83.711	Family history of hyperplastic colon polyps
Z83.718	Other family history of colon polyps
Z83.719	Family history of colon polyps, unspecified

Code Group 10

Colonoscopy- Use the following diagnosis codes in combination with CPT codes 45378, 45380, 45381, 45384, 45385, 45388, 45390 and HCPCS codes G0105, G0121:

Page 41 of 44

ICD-10-CM Diagnosis Codes	Description
Z12.10	Encounter for screening for malignant neoplasm of intestinal tract, unspecified
Z12.11	Encounter for screening for malignant neoplasm of colon
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.13	Encounter for screening for malignant neoplasm of small intestine
Z80.0	Family history of malignant neoplasm of digestive organs
Z83.710	Family history of adenomatous and serrated polyps
Z83.711	Family history of hyperplastic colon polyps
Z83.718	Other family history of colon polyps
Z83.719	Family history of colon polyps, unspecified

Code Group 11

<u>Flexible Sigmoidoscopy, Barium Enema – Use the following diagnosis codes in combination with CPT codes 45330, 45331, 45333, 45338, 45346, 74270, 74280 and HCPCS Codes G0104</u>

ICD-10-CM Diagnosis Codes	Description
Z12.10	Encounter for screening for malignant neoplasm of intestinal tract, unspecified
Z12.11	Encounter for screening for malignant neoplasm of colon
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.13	Encounter for screening for malignant neoplasm of small intestine
Z80.0	Family history of malignant neoplasm of digestive organs
Z83.71	Family history of colonic polyps Code deleted 9/30/2023
Z83.710	Family history of adenomatous and serrated polyps
Z83.711	Family history of hyperplastic colon polyps
Z83.718	Other family history of colon polyps
Z83.719	Family history of colon polyps, unspecified

Code Group 12

Cervical Cancer Screening – Use the following diagnosis codes in combination with CPT codes 88141, 88143, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175 and HCPCS codes G0101, G0123, G0124, G0141, G0143, G014 4, G0145, G0147, G0148, P3000, P3001, Q0091

ICD-10-CM Diagnosis Codes	Description
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z12.4	Encounter for screening for malignant neoplasm of cervix

Code Group 13

HPV screening – Use the following diagnosis codes in combination with CPT codes 87625, 87626, 87624, 0500T and HCPCS code G0476

Page 42 of 44

ICD-10-CM Diagnosis Codes	Description
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z11.51	Encounter for screening for human papillomavirus (HPV)
Z12.4	Encounter for screening for malignant neoplasm of cervix

Code Group 14

Osteoporosis Screening – Use the following diagnosis codes in combination with CPT codes 76977, 77078, 77080, 77081 and HCPCS code G0130:

ICD-10-CM Diagnosis Codes	Description
Z13.820	Encounter for screening for osteoporosis

*Current Procedural Terminology (CPT®) ©2024 American Medical Association: Chicago, IL.

References

- 1. Advisory Committee on Heritable Disorders in Newborns and Children. Recommended Uniform Screening Panel. Accessed Dec 16, 2024. Available at URL address: https://www.hrsa.gov/advisory-committees/heritable-disorders/rusp/index.html
- 2. American Academy of Pediatrics. Recommendations for Pediatric Preventive Health Care. Periodicity Schedule. Accessed on Dec 16, 2024. Available at URL address: https://downloads.aap.org/AAP/PDF/periodicity_schedule.pdf
- 3. Centers for Disease Control and Prevention. Immunization Schedules. Accessed on Dec 16, 2024. Available at URL address: https://www.cdc.gov/vaccines/schedules/index.html
- 4. Centers for Medicare and Medicaid Services. Fourth COVID-19 Interim Final Rule with Comment Period (IFC-4). October 28, 2020. Accessed Dec 16, 2024. Available at URL address: https://www.cms.gov/newsroom/fact-sheets/fourth-covid-19-interim-final-rule-comment-period-ifc-4
- 5. Centers for Disease Control and Prevention. Vaccine Recommendations of the ACIP. Accessed Dec 16, 2024. Available at URL address: https://www.cdc.gov/vaccines/hcp/acip-recs/index.html
- 6. Health and Human Services. Preventive Care. Accessed on Dec 16, 2024. Available at URL address: https://www.hhs.gov/healthcare/about-the-aca/preventive-care/index.html
- 7. Health and Human Services. Center for Consumer Information and Insurance Oversight. Affordable Care Act Implementation. FAQs-Set 12. Accessed Dec 16, 2024. Available at

Page 43 of 44

- URL address: https://www.cms.gov/CCIIO/Resources/Fact-Sheets-and-FAOs/aca implementation fags12.html
- 8. Health and Human Services. The Center for Consumer Information and Insurance Oversight. Fact Sheets and Frequently Asked Questions. Accessed on Dec 16, 2024. Available at URL address: https://www.cms.gov/cciio/Resources/Fact-Sheets-and-FAQs/index.html#Prevention
- 9. Institute of Medicine. 2011. Clinical Preventive Services for Women-Closing the Gaps. Washington, D.C. The National Academies Press. Accessed Dec 16, 2024. Available at URL address: https://doi.org/10.17226/13181
- 10. United States Department of Health and Human Services Administration. Womens Preventive Services Guidelines. Accessed Dec 16, 2024. Available at URL address: https://www.hrsa.gov/womens-guidelines
- 11. United States Department of Health and Human Services Administration. Womens Preventive Services Guidelines. A Well-Woman Chart. 2023. Accessed Dec 16, 2024. Available at URL address: https://www.womenspreventivehealth.org/wellwomanchart/
- 12. United States Preventive Services Task Force. USPSTF A and B Recommendations. Accessed Dec 16, 2024. Available at URL address: https://www.uspreventiveservicestaskforce.org/uspstf/topic_search_results?topic_status= All&grades%5B%5D=A&grades%5B%5D=B&category%5B%5D=18&searchterm=
- 13. United States Preventive Services Task Force. Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2021; 325(19):1965–1977. doi:10.1001/jama.2021.6238
- 14. United States Preventive Services Task Force. Recommendations. Accessed Dec 16, 2024. Available at URL address: https://www.uspreventiveservicestaskforce.org/Page/Name/recommendations

"Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2025 The Cigna Group.