



Drug Coverage Policy

Effective Date.....1/15/2025

Coverage Policy Number.....IP0177

Policy Title..... Natpara

Hypoparathyroidism - Natpara

- Natpara® (parathyroid hormone subcutaneous injection – Shire-NPS/Takeda)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies. Certain Cigna Companies and/or lines of business only provide utilization review services to clients and do not make coverage determinations. References to standard benefit plan language and coverage determinations do not apply to those clients. Coverage Policies are intended to provide guidance in interpreting certain standard benefit plans administered by Cigna Companies. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document always supersedes the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Each coverage request should be reviewed on its own merits. Medical directors are expected to exercise clinical judgment and have discretion in making individual coverage determinations. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations.

Cigna Healthcare Coverage Policy

OVERVIEW

Natpara, a replica of the endogenous parathyroid hormone, is indicated as an adjunct to calcium and vitamin D to control hypocalcemia in patients with **hypoparathyroidism**.¹

Limitations of Use: Due to the potential risk of osteosarcoma, Natpara is recommended only for patients who cannot be well-controlled on calcium supplements and active forms of vitamin D alone.¹ Natpara was not studied in patients with hypoparathyroidism caused by calcium-sensing receptor mutations; and Natpara was not studied in patients with acute post-surgical hypoparathyroidism.

Before initiating and during therapy with Natpara, 25-hydroxyvitamin D stores should be sufficient.¹ In addition, before initiating Natpara, serum calcium concentration should be > 7.5 mg/dL. In the pivotal study, a responder to Natpara therapy was defined as an individual who had: ≥ 50% reduction from baseline in the dose of active vitamin D, ≥ 50% reduction from baseline in the dose of oral calcium supplementation, and an albumin-corrected total serum calcium concentration between 7.5 mg/dL and 10.6 mg/dL.

Natpara has a Boxed Warning about the potential risk of osteosarcoma.¹ Parathyroid hormone has been shown to increase the incidence of osteosarcoma in male and female rats; the risk was dependent on dose and treatment duration. A risk to humans could not be excluded. Natpara is available only through a restricted Risk Evaluation and Mitigation Strategy (REMS) program; only certified healthcare providers can prescribe and only certified pharmacies can dispense Natpara.

Note: Natpara continues to be unavailable except for select patients through a Special Use Program. On October 4, 2022, the manufacturer (Takeda) released a statement that it will discontinue manufacturing Natpara globally at the end of 2024 due to unresolved supply issues.² Takeda will not re-commercialized Natpara in the US (or globally). Beyond 2024, Takeda intends to supply available doses until inventory is depleted or expired.²

Medical Necessity Criteria

Natpara is considered medically necessary when the following criteria are met:

FDA-Approved Indication

1. Chronic Hypoparathyroidism. Approve for 1 year if the patient meets ONE of the following conditions (A or B):

- A) Initial Therapy.** Approve if the patient meets ALL of the following criteria (i, ii, iii, and iv):
- i.** Patient cannot be well-controlled on calcium supplements and active forms of vitamin D alone; AND
 - ii.** Patient's 25-hydroxyvitamin D stores are sufficient (before initiating Natpara therapy) according to the prescriber; AND
 - iii.** Patient's serum calcium concentration is > 7.5 mg/dL before initiating Natpara therapy; AND
 - iv.** The medication is prescribed by or in consultation with an endocrinologist or a nephrologist.
- B) Patient is Currently Receiving Natpara.** Approve if the patient meets ALL of the following criteria (i, ii, and iii):
- i.** Patient cannot be well-controlled on calcium supplements and active forms of vitamin D alone; AND
 - ii.** Patient's 25-hydroxyvitamin D stores are sufficient (during Natpara therapy) according to the prescriber; AND
 - iii.** Patient is responding to Natpara therapy, according to the prescriber.
- Note: Response to Natpara therapy include reduction in the patient's oral calcium dose; reduction in the patient's active vitamin D dose; maintenance of a stable albumin-corrected total serum calcium concentration.

When coverage is available and medically necessary, the dosage, frequency, duration of therapy, and site of care should be reasonable, clinically appropriate, and supported by evidence-based

literature and adjusted based upon severity, alternative available treatments, and previous response to therapy.

Receipt of sample product does not satisfy any criteria requirements for coverage.

Conditions Not Covered

Any other use is considered experimental, investigational, or unproven, including the following (this list may not be all inclusive; criteria will be updated as new published data are available):

1. **Acute Post-Surgical Hypoparathyroidism.** Natpara was not studied in patients with acute post-surgical hypoparathyroidism.
2. **Hypoparathyroidism Caused by Calcium-Sensing Receptor Mutations.** Natpara was not studied in this patient population.

References

1. Natpara® subcutaneous injection [prescribing information]. Lexington MA: Shire-NPS/Takeda; February 2023.
2. Takeda to discontinue manufacturing of Natpara®/Natpara® for patients with hypoparathyroidism at the end of 2024. Available at: <https://www.takeda.com/en-us/newsroom/statements/2022/takeda-to-discontinue-manufacturing-of-natpar-natpara>. Accessed on April 18, 2024.

Revision Details

Type of Revision	Summary of Changes	Date
Annual Revision	Policy Name Change: Updated Policy Name from "Parathyroid Hormone" to "Natpara." Chronic Hypoparathyroidism - Initial Therapy and Patient is Currently Receiving Natpara: Updated the criterion concerning the patient's 25-hydroxyvitamin D stores, to include the phrase "according to the prescriber."	08/15/2024
Selected Revision	Added Hypoparathyroidism to "Natpara" as a header to the policy. Chronic Hypoparathyroidism: A nephrologist was added as a physician type that counts toward the specialist requirement.	1/15/2025

The policy effective date is in force until updated or retired.

"Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2025 The Cigna Group.