



Drug Coverage Policy

Effective Date 6/15/2024
Coverage Policy NumberIP0530
Policy Title.....Apomorphine
Subcutaneous

Parkinson's Disease –Apomorphine Subcutaneous

- Apokyn® (apomorphine hydrochloride subcutaneous injection – US WorldMeds, generic)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies. Certain Cigna Companies and/or lines of business only provide utilization review services to clients and do not make coverage determinations. References to standard benefit plan language and coverage determinations do not apply to those clients. Coverage Policies are intended to provide guidance in interpreting certain standard benefit plans administered by Cigna Companies. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document always supersedes the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Each coverage request should be reviewed on its own merits. Medical directors are expected to exercise clinical judgment and have discretion in making individual coverage determinations. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations.

Cigna Healthcare Coverage Policy

Apomorphine, a non-ergoline dopamine agonist, is indicated for the acute, intermittent treatment of hypomobility, "off" episodes ("end-of-dose wearing off" and unpredictable "on/off" episodes) associated with advanced **Parkinson's disease**.¹

Guidelines

The International Parkinson and Movement Disorder Society published an evidence-based review for treatment for motor symptoms of Parkinson's disease (2018).² The review categorically divides treatment recommendations by Parkinson's disease characteristics. Apomorphine subcutaneous is

noted to be efficacious and clinically useful in treatment for motor fluctuations, particularly for OFF periods that require rapid reversal.

The Academy of Family Physicians published recommendations for practice for the treatment of Parkinson's Disease (2020).³ The review recommends apomorphine subcutaneous and immediate release carbidopa/levodopa as treatment options for patients experiencing freezing episodes. Apomorphine subcutaneous will quickly resolve the freezing; however, it is poorly tolerated due to severe nausea, vomiting and orthostasis.

Medical Necessity Criteria

Apomorphine subcutaneous is considered medically necessary when the following criteria are met:

FDA-Approved Indication

- 1. Parkinson's Disease.** Approve for 1 year if the patient meets the following (A, B, C, and D):
 - A)** Patient is experiencing "off" episodes such as muscle stiffness, slow movements, or difficulty starting movements; AND
 - B)** Patient is currently receiving carbidopa/levodopa therapy; AND
 - C)** Patient has previously tried one other treatment for "off" episodes and meets ONE of the following (i or ii):
 - i.** Patient had significant intolerance, according to the prescriber; OR
 - ii.** Patient had inadequate efficacy, according to the prescriber; AND

Note: Examples of treatments for "off" episodes include entacapone, rasagiline, pramipexole, ropinirole, tolcapone, cabergoline, selegiline, Ongentys (opicapone capsules), or Xadago (safinamide tablets).
 - D)** The medication is prescribed by or in consultation with a neurologist.

When coverage is available and medically necessary, the dosage, frequency, duration of therapy, and site of care should be reasonable, clinically appropriate, and supported by evidence-based literature and adjusted based upon severity, alternative available treatments, and previous response to therapy.

Receipt of sample product does not satisfy any criteria requirements for coverage.

Conditions Not Covered

Any other use is considered experimental, investigational, or unproven (criteria will be updated as new published data are available).

- 1. Concurrent Use with a Serotonin 5-HT₃ Antagonist.** Administration of apomorphine subcutaneous in conjunction with a serotonin 5-HT₃ antagonist (e.g., ondansetron, granisetron, dolasetron, palonosetron, alosetron) can result in extreme lowering of blood pressure and loss of consciousness, and is considered an absolute contraindication.¹

References

1. Apokyn[®] subcutaneous injection [prescribing information] Louisville, KY: US WorldMeds; June 2022.
2. Fox SH, Katzenschlager R, Lim SY, et al. International Parkinson and movement disorder society evidence-based medicine review: Update on treatments for the motor symptoms of Parkinson's disease. *Mov Disord.* 2018;33(8):1248-1266.

Revision Details

Type of Revision	Summary of Changes	Date
Annual Revision	<p>Parkinson's Disease. Added that the 'Patient has previously tried one other treatment for "off" episodes and meets ONE of the following (i)Patient had significant intolerance, according to the prescriber (ii) Patient had inadequate efficacy, according to the prescriber' and the corresponding note: 'Examples of treatments for "off" episodes include entacapone, rasagiline, pramipexole, ropinirole, tolcapone, cabergoline, selegiline, Ongentys (opicapone capsules), or Xadago (safinamide tablets)' Revised 'Currently receiving levodopa-based treatment' to 'Patient is currently receiving carbidopa/levodopa therapy' Added Individual and Family Plan to follow criteria in policy</p>	6/15/2024

The policy effective date is in force until updated or retired.

"Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2024 The Cigna Group.