



HEALTHWISE® REFERENCE LIST FOR CHRONIC CONDITION EDUCATIONAL MATERIAL & GUIDELINES

Information collected on September 4, 2020
For Health Care Providers

Diabetes Type 1

Citations

1. American Diabetes Association (2019). Standards of medical care in diabetes—2019. *Diabetes Care*, 42(Suppl 1): S1–S193. Accessed December 17, 2018.
2. U.S. Department of Health and Human Services (2008). *2008 Physical Activity Guidelines for Americans* (ODPHP Publication No. U0036). Washington, DC: U.S. Government Printing Office. Available online: <http://www.health.gov/paguidelines/guidelines/default.aspx>.
3. American Diabetes Association (2019). Standards of medical care in diabetes—2019. *Diabetes Care*, 42(Suppl 1): S1–S193. Accessed December 17, 2018.

Current as of: December 20, 2019

Author: Healthwise Staff

Medical Review:

E. Gregory Thompson MD - Internal Medicine

Kathleen Romito MD - Family Medicine

Adam Husney MD - Family Medicine

David C.W. Lau MD, PhD, FRCPC - Endocrinology

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

Diabetes Type 2

Citations

1. American Diabetes Association (2019). Standards of medical care in diabetes—2019. *Diabetes Care*, 42(Suppl 1): S1–S193. Accessed December 17, 2018.
2. U.S. Department of Health and Human Services (2008). *2008 Physical Activity Guidelines for Americans* (ODPHP Publication No. U0036). Washington, DC: U.S. Government Printing Office. Available online: <http://www.health.gov/paguidelines/guidelines/default.aspx>.
3. Rubino F, et al. (2016). Metabolic surgery in the treatment algorithm for type 2 diabetes: A joint statement by international diabetes organizations. *Diabetes Care*, 39(6): 861–877. DOI: 10.2337/dc16-0236. Accessed June 30, 2016.
4. American Diabetes Association (2019). Standards of medical care in diabetes—2019. *Diabetes Care*, 42(Suppl 1): S1–S193. Accessed December 17, 2018.

- **Current as of: December 20, 2019**

- **Author: Healthwise Staff**

Medical Review:

E. Gregory Thompson MD - Internal Medicine

Kathleen Romito MD - Family Medicine

Martin J. Gabica MD - Family Medicine

Adam Husney MD - Family Medicine

David C.W. Lau MD, PhD, FRCPC - Endocrinology

Asthma

Citations

1. McGeady SJ (2004). Immunocompetence and allergy. *Pediatrics*, 113(4): 1107–1113.
2. Silva GE, et al. (2004). Asthma as a risk factor for COPD in a longitudinal study. *Chest*, 126(1): 59–65.
3. Guilbert T, Krawiec M (2003). Natural history of asthma. *Pediatric Clinics of North America*, 50(3): 524–538.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

4. Stern DA, et al. (2008). Wheezing and bronchial hyper-responsiveness in early childhood as predictors of newly diagnosed asthma in early adulthood: A longitudinal birth-cohort study. *Lancet*, 372(9643): 1058–1064.
5. Etzel RA (2003). How environmental exposures influence the development and exacerbation of asthma. *Pediatrics*, 112(1): 233–239.
6. Beuther DA, Sutherland ER (2007). Overweight, obesity, and incident asthma: A meta-analysis of prospective epidemiologic studies. *American Journal Of Respiratory and Critical Care Medicine*, 175(7): 661–666.
7. Lemanske RF Jr (2003). Viruses and asthma: Inception, exacerbations, and possible prevention. Proceedings from the Consensus Conference on Treatment of Viral Respiratory Infection-Induced Asthma in Children. *Journal of Pediatrics*, 142(2, Suppl): S3–S7.
8. Takkouche B, et al. (2008). Exposure to furry pets and the risk of asthma and allergic rhinitis: A meta-analysis. *Allergy*, 63(7): 857–864.
9. Yeatts K, et al. (2003). Who gets diagnosed with asthma? Frequent wheeze among adolescents with and without a diagnosis of asthma. *Pediatrics*, 111(5): 1046–1054.
10. Joint Task Force on Practice Parameters (2005). Attaining optimal asthma control: A practice parameter. *Journal of Allergy and Clinical Immunology*, 116(5): S3–S11. Available online: http://www.allergyparameters.org/file_depot/0-10000000/30000-40000/30326/folder/73825/2005+Asthma+Control.pdf.
11. National Institutes of Health (2007). *National Asthma Education and Prevention Program Expert Panel Report 3: Guidelines for the Diagnosis and Management of Asthma* (NIH Publication No. 08–5846). Available online: <http://www.nhlbi.nih.gov/guidelines/asthma/index.htm>.
12. Salpeter SR, et al. (2004). Meta-analysis: Respiratory tolerance to regular beta2-agonist use in patients with asthma. *Annals of Internal Medicine*, 140(10): 802–813.
13. Abramson MJ, et al. (2010). Injection allergen immunotherapy for asthma. *Cochrane Database of Systematic Reviews* (8). Oxford: Update Software.

Other Works Consulted

- Chung KF, et al. (2014). International ERS/ATS guidelines on definition, evaluation and treatment of severe asthma. *European Respiratory Journal*, 43(2): 343–373. DOI: 10.1183/09031936.00202013. Accessed March 11, 2014.
- Grayson MH, Holtzman MJ (2007). Asthma. In EG Nabel, ed., *ACP Medicine*, section 14, chap. 19. Hamilton, ON: BC Decker.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Jaeschke R, et al. (2008). The safety of long-acting beta-agonists among patients with asthma using inhaled corticosteroids. *American Journal of Respiratory and Critical Care Medicine*, 178(10): 1009–1016.
- Schatz M (2015). Asthma in adults and adolescents. In ET Bope et al., eds., *Conn's Current Therapy 2015*, pp. 363–371. Philadelphia: Saunders.
- **Current as of: February 24, 2020**
- **Author: Healthwise Staff**
Medical Review:
E. Gregory Thompson MD - Internal Medicine
Adam Husney MD - Family Medicine
Kathleen Romito MD - Family Medicine
Elizabeth T. Russo MD - Internal Medicine

Heart Failure

Citations

1. U.S. Department of Health and Human Services (2008). *2008 Physical Activity Guidelines for Americans* (ODPHP Publication No. U0036). Washington, DC: U.S. Government Printing Office. Available online: <http://www.health.gov/paguidelines/guidelines/default.aspx>.
2. Siscovick DS, et al. (2017). Omega-3 polyunsaturated fatty acid (fish oil) supplementation and the prevention of clinical cardiovascular disease: A science advisory from the American Heart Association. *Circulation*, 135(15): e867-e884. DOI: 10.1161/CIR.0000000000000482. Accessed April 10, 2017.
3. Coenzyme Q10 (2006). *Medical Letter on Drugs and Therapeutics*, 48(1229): 19–20.

Other Works Consulted

- Allen LA, et al. (2012). Decision making in advanced heart failure: A scientific statement from the American Heart Association. *Circulation*, 125(15): 1928–1952.
- Drugs for treatment of chronic heart failure (2009). *Treatment Guidelines From The Medical Letter*, 7(83): 53–56.
- Levine GN, et al. (2012). Sexual activity and cardiovascular disease: A scientific statement from the American Heart Association. *Circulation*, 125(8): 1058–1072.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- McKelvie R (2011). Heart failure, search date August 2010. BMJ Clinical Evidence. Available online: <http://www.clinicalevidence.com>.
- Riegel B, et al. (2009). State of the science. Promoting self-care in patients with heart failure. A scientific statement from the American Heart Association. *Circulation*, 120(12): 1141–1163.
- Rosendorff C, et al. (2015). Treatment of hypertension in patients with coronary artery disease: A scientific statement from the American Heart Association, American College of Cardiology, and American Society of Hypertension. *Circulation*, 131(19): e435–e470. DOI: 10.1161/CIR.000000000000207. Accessed March 31, 2015.
- Smith SC, et al. (2011). AHA/ACCF secondary prevention and risk reduction therapy for patients with coronary and other atherosclerotic vascular disease: 2011 update: A guideline from the American Heart Association and American College of Cardiology Foundation. *Circulation*, 124(22): 2458–2473. Also available online: <http://circ.ahajournals.org/content/124/22/2458.full>.
- Somers VK, et al. (2008). Sleep apnea and cardiovascular disease: An American Heart Association/American College of Cardiology Foundation Scientific Statement from the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council on Cardiovascular Nursing in collaboration with the National Heart, Lung, and Blood Institute National Center on Sleep Disorders Research (National Institutes of Health). *Circulation*, 118(10): 1080–1111.
- Yancy CW, et al. (2013). 2013 ACCF/AHA Guideline for the management of heart failure: A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Journal of the American College of Cardiology*, 62(16): e147–e239.
- Yancy CW, et al. (2016). 2016 ACC/AHA/HFSA Focused update on new pharmacological therapy for heart failure: An update of the 2013 ACCF/AHA guideline for the management of heart failure. *Circulation*, published online May 20, 2016. DOI: 10.1161/CIR.0000000000000435. Accessed June 10, 2016.

Current as of: December 16, 2019

Author: Healthwise Staff

Medical Review:

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

Rakesh K. Pai MD, FACC - Cardiology, Electrophysiology
E. Gregory Thompson MD - Internal Medicine
Martin J. Gabica MD - Family Medicine
Elizabeth T. Russo MD - Internal Medicine
Adam Husney MD - Family Medicine
Kathleen Romito MD - Family Medicine
Stephen Fort MD, MRCP, FRCPC - Interventional Cardiology

COPD

Citations

1. Lovasi GS, et al. (2010). Association of environmental tobacco smoke exposure in childhood with early emphysema in adulthood among nonsmokers. *American Journal of Epidemiology*, 171(1): 54–62.
2. Qaseem A, et al. (2011). Diagnosis and management of stable chronic obstructive pulmonary disease: A clinical practice guideline update from the American College of Physicians, American College of Chest Physicians, American Thoracic Society, and European Respiratory Society. *Annals of Internal Medicine*, 155(3): 179–191.
3. U.S. Preventive Services Task Force (2016). Screening for chronic obstructive pulmonary disease: U.S. Preventive Services Task Force recommendation statement. *JAMA*, 315(13): 1372-1377. doi:10.1001/jama.2016.2638.

Other Works Consulted

- Global Initiative for Chronic Obstructive Lung Disease (2017). Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. <http://goldcopd.org/gold-2017-global-strategy-diagnosis-management-prevention-copd>. Accessed November 27, 2016.
- Criner GJ, Sternberg AL (2008). A clinician's guide to the use of lung volume reduction surgery. *Proceedings of the American Thoracic Society*, 5(4): 461–467.
- King DA, et al. (2008). Nutritional aspects of chronic obstructive pulmonary disease. *Proceedings of the American Thoracic Society*, 5(4): 519–523.
- Qaseem A, et al. (2011). Diagnosis and management of stable chronic obstructive pulmonary disease: A clinical practice guideline update from the American College

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

of Physicians, American College of Chest Physicians, American Thoracic Society, and European Respiratory Society. *Annals of Internal Medicine*, 155(3): 179–191.

Current as of: February 24, 2020

Author: Healthwise Staff

Medical Review:

E. Gregory Thompson MD - Internal Medicine

Adam Husney MD - Family Medicine

Ken Y. Yoneda MD - Pulmonology

CAD

Other Works Consulted

- Amsterdam EA, et al. (2014). 2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes. *Circulation*, 130(25): e344–e426. DOI: 10.1161/CIR.000000000000134. Accessed October 24, 2014.
- Jneid H, et al. (2017). 2017 AHA/ACC clinical performance and quality measures for adults with ST-elevation and non-ST-elevation myocardial infarction: A report of the American College of Cardiology/American Heart Association Task Force on Performance Measures. *Circulation: Cardiovascular Quality and Outcomes*, 10(10): e000032. DOI: 10.1161/HCQ.0000000000000032. Accessed September 25, 2017.
- Kim MC, et al. (2011). Definitions of acute coronary syndromes. In V Fuster et al., eds., *Hurst's the Heart*, 13th ed., vol. 2, pp. 1287–1295. New York: McGraw-Hill.
- O'Connor RE, et al. (2010). Acute coronary syndromes: 2010 American Heart Association guidelines for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*, 122(18): S787–S817.
- Rosendorff C, et al. (2015). Treatment of hypertension in patients with coronary artery disease: A scientific statement from the American Heart Association, American College of Cardiology, and American Society of Hypertension. *Circulation*, 131(19): e435–e470. DOI: 10.1161/CIR.0000000000000207. Accessed March 31, 2015.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Thygesen K, et al. (2012). Third universal definition of myocardial infarction. *Circulation*, 126(16): 2020–2035. Also available online: <http://circ.ahajournals.org/content/126/16/2020>.

Current as of: December 16, 2019

Author: Healthwise Staff

Medical Review:

Rakesh K. Pai MD, FACC - Cardiology, Electrophysiology

E. Gregory Thompson MD - Internal Medicine

Martin J. Gabica MD - Family Medicine

Adam Husney MD - Family Medicine

Kathleen Romito MD - Family Medicine

George Philippides MD - Cardiology

PAD

Citations

1. White C (2007). Intermittent claudication. *New England Journal of Medicine*, 356(12): 1241–1250.

Other Works Consulted

- Alonso-Coello P, et al. (2012). Antithrombotic therapy in peripheral artery disease: Antithrombotic therapy and prevention of thrombosis, 9th ed.—American College of Chest Physicians evidence-based clinical practice guidelines. *Chest*, 141(2, Suppl): e669S–e690S.
- Anderson JL, et al. (2012). Management of patients with peripheral artery disease (compilation of 2005 and 2011 ACCF/AHA guideline recommendations): A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*, 127(13): 1425–1443.
- Creager MA, Libby P (2015). Peripheral arterial diseases. In DL Mann et al., eds., *Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine*, 10th ed., vol. 2, pp. 1312–1332. Philadelphia: Saunders.
- Fowkes F, Leng GC (2008). Bypass surgery for chronic lower limb ischaemia. *Cochrane Database of Systematic Reviews* (2).

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Gerhard-Herman MD, et al. (2016). 2016 AHA/ACC guideline on the management of patients with lower extremity peripheral artery disease. *Circulation*, published online November 13, 2016. DOI: 10.1161/CIR.0000000000000471. Accessed November 25, 2016.
- Smith SC, et al. (2011). AHA/ACCF secondary prevention and risk reduction therapy for patients with coronary and other atherosclerotic vascular disease: 2011 update: A guideline from the American Heart Association and American College of Cardiology Foundation. *Circulation*, 124(22): 2458–2473. Also available online: <http://circ.ahajournals.org/content/124/22/2458.full>.
- U.S. Preventive Services Task Force (2013). Screening for peripheral arterial disease and cardiovascular disease risk assessment with the ankle-brachial index in adults. U.S. Preventive Services Task Force. <http://www.uspreventiveservicestaskforce.org/uspstf/uspspard.htm>. Accessed March 24, 2014.
- Wennberg PW, Rooke TW (2011). Diagnosis and management of diseases of the peripheral arteries and veins. In V Fuster et al., eds., *Hurst's The Heart*, 13th ed., vol. 2, pp. 2331–2346. New York: McGraw-Hill.

Current as of: December 16, 2019

Author: Healthwise Staff

Medical Review:

Adam Husney MD - Family Medicine

E. Gregory Thompson MD - Internal Medicine

Martin J. Gabica MD - Family Medicine

Rakesh K. Pai MD, FACC - Cardiology, Electrophysiology

Low Back Pain

Citations

1. Furlan AD, et al. (2005). Acupuncture and dry-needling for low back pain. *Cochrane Database of Systematic Reviews* (1).
2. Hsieh LL, et al. (2006). Treatment of low back pain by acupuncture and physical therapy: Randomised controlled trial. *BMJ*, 333(7543): 696–700.
3. Tilbrook HE, et al. (2011). Yoga for chronic low back pain: A randomized trial. *Annals of Internal Medicine*, 155(9): 569–578.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

4. Sherman KJ, et al. (2011). A randomized trial comparing yoga, stretching, and a self-care book for chronic low back pain. *Archives of Internal Medicine*, 171(22): 2019–2026.
5. Gagnier JJ, et al. (2016). Herbal medicine for low back pain: A Cochrane review. *Spine*, 41(2): 116–133. DOI: 10.1097/BRS.0000000000001310. Accessed June 17, 2016.
6. Chou R (2010). Low back pain (chronic), search date April 2009. Online version of *BMJ Clinical Evidence*: <http://www.clinicalevidence.com>.

Current as of: March 2, 2020

Author: Healthwise Staff

Medical Review:

William H. Bland Jr. MD, FACEP - Emergency Medicine

Adam Husney MD - Family Medicine

E. Gregory Thompson MD - Internal Medicine

Kathleen Romito MD - Family Medicine

Osteoarthritis

Citations

1. Messier SP, et al. (2005). Weight loss reduces knee-joint loads in overweight and obese older adults with knee osteoarthritis. *Arthritis and Rheumatism*, 52(7): 2026–2032.
2. Stitik TP, et al. (2010). Osteoarthritis. In WR Frontera et al., eds., *DeLisa's Physical Medicine and Rehabilitation: Principles and Practice*, 5th ed., vol. 1, pp. 781–809. Philadelphia: Lippincott Williams and Wilkins.
3. Lozada CJ (2013). Treatment of osteoarthritis. In GS Firestein et al., eds., *Kelley's Textbook of Rheumatology* 9th ed., vol. 2, pp. 1646–1659. Philadelphia: Saunders.
4. Towheed TE, et al. (2006). Acetaminophen for osteoarthritis. *Cochrane Database of Systematic Reviews* (1). Oxford: Update Software.

Other Works Consulted

- American Academy of Orthopaedic Surgeons (2013). Summary of recommendations. Treatment of Osteoarthritis of the Knee, 2nd ed. Available online: <http://www.aaos.org/research/guidelines/guidelineoaknee.asp>.
- Derry S, et al. (2012). Topical NSAIDs for chronic musculoskeletal pain in adults. *Cochrane Database of Systematic Reviews* (9).

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Dunlop DD, et al. (2011). Physical activity levels and functional performance in the Osteoarthritis Initiative. *Arthritis and Rheumatism*, 63(1): 127–136.
- Easley ME, et al. (2011). Results of total ankle arthroplasty. *Journal of Bone and Joint Surgery, American Version*, 93(15): 1455–1468.
- Hinman RS, et al. (2014). Acupuncture for chronic knee pain: A randomized clinical trial. *JAMA*, 312(13): 1313–13222. DOI: 10.1001/jama.2014.12660. Accessed July 23, 2015.
- Hochberg MC, et al. (2012). American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care & Research*, 64(4): 465–474.
- Li S, Micheletti R (2011). Role of diet in rheumatic disease. *Rheumatic Disease Clinics of North America*, 37(1): 119–133.
- Lin EHB, et al. (2003). Effect of improving depression care on pain and functional outcomes among older adults with arthritis: A randomized controlled trial. *JAMA*, 290(18): 2428–2434.
- Louie GH, et al. (2011). Sleep disturbances in adults with arthritis: Prevalence, mediators, and subgroups at greatest risk. Data from the 2007 national health interview survey. *Arthritis Care and Research*, 63(2): 247–260.
- Peak EL, et al. (2005). The role of patient restrictions in reducing the prevalence of early dislocation following total hip arthroplasty. *Journal of Bone and Joint Surgery*, 87-A(2): 847–853.

Current as of: December 9, 2019

Author: Healthwise Staff

Medical Review:

Anne C. Poinier MD - Internal Medicine

Adam Husney MD - Family Medicine

E. Gregory Thompson MD - Internal Medicine

Martin J. Gabica MD - Family Medicine

Kathleen Romito MD - Family Medicine

Stanford M. Shoor MD - Rheumatology

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

Depression

Citations

1. Young JE, et al. (2008) Cognitive therapy for depression. In DH Barlow, ed., *Clinical Handbook of Psychological Disorders*, 4th ed., pp. 250–305. New York: Guilford Press.
2. Hollon SD, et al. (2005). Prevention of relapse following cognitive therapy vs. medications in moderate to severe depression. *Archives of General Psychiatry*, 62(4): 417–422.
3. Butler R, et al. (2007). Depression in adults: Psychological treatments and care pathways, search date April 2006. *BMJ Clinical Evidence*. Available online: <http://www.clinicalevidence.com>.
4. Khoury B, et al. (2013). Mindfulness-based therapy: A comprehensive meta-analysis. *Clinical Psychology Review*, 33(6): 763–771.
5. Powers MB, et al. (2009). Acceptance and commitment therapy: A meta-analytic review. *Psychotherapy and Psychosomatics*, 78(2): 73–80.
6. Arean P, et al. (2008). Effectiveness of problem-solving therapy for older, primary care patients with depression: Results from the IMPACT project. *Gerontologist*, 48(3): 311–323.

Other Works Consulted

- American College of Obstetricians and Gynecologists (2008, reaffirmed 2009). Use of psychiatric medications during pregnancy and lactation. ACOG Practice Bulletin No. 92. *Obstetrics and Gynecology*, 111(4): 1001–1020.
- American Psychiatric Association (2010). Practice Guideline for the Treatment of Patients With Major Depressive Disorder, 3rd ed. Available online: <http://psychiatryonline.org/guidelines.aspx>.
- Canadian Psychiatric Association and the CANMAT Depression Work Group (2001). Clinical practice guidelines for the treatment of depressive disorders. *Canadian Journal of Psychiatry*, 46(Suppl 1): S13–S89.
- Matorin AA, Ruiz P (2009). Clinical manifestations of psychiatric disorders. In BJ Sadock et al., eds., *Kaplan and Sadock's Comprehensive Textbook of Psychiatry*, 9th ed., vol. 1, pp. 1071–1107. Philadelphia: Lippincott Williams and Wilkins.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Murray MT, Bongiorno PB. (2006). Affective disorders. In JE Pizzorno Jr, MT Murray, eds. *Textbook of Natural Medicine*, 3rd ed., vol. 2, pp. 1427–1448. St. Louis: Churchill Livingstone Elsevier.
 - Qaseem A, et al. (2008). Using second-generation antidepressants to treat depressive disorders: A clinical practice guideline from the American College of Physicians. *Annals of Internal Medicine*, 149(10): 725–733. Also available online: <http://annals.org/article.aspx?articleid=743690>.
 - Sadock BJ, Sadock VA (2007). Depression and bipolar disorder. In Kaplan and Sadock's *Synopsis of Psychiatry*, 10th ed., pp. 527-562. Philadelphia: Lippincott Williams and Wilkins.
 - Safety of SSRI in pregnancy (2008). *Medical Letter on Drugs and Therapeutics*, 50(1299): 89–90.
- **Current as of: January 31, 2020**
 - **Author: Healthwise Staff**
 - **Medical Review:**
 - **Kathleen Romito MD - Family Medicine**
 - **E. Gregory Thompson MD - Internal Medicine**
 - **Lisa S. Weinstock MD - Psychiatry**

Metabolic Syndrome/ Weight Complications

Citations

1. Grundy SM, et al. (2005). Diagnosis and management of the metabolic syndrome: An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. *Circulation*, 112(17): 2735–2752.

Other Works Consulted

- Alberti K, et al. (2009). Harmonizing the metabolic syndrome: A joint interim statement of the International Diabetes Federation Task Force of Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation*, 120(16): 1640–1645.

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license

- Brownlee M, et al. (2011). Complications of diabetes mellitus. In S Melmed et al., eds., Williams Textbook of Endocrinology, 12th ed., pp. 1462–1551. Philadelphia: Saunders.
- Eckel RH (2012). The metabolic syndrome. In DL Longo et al., eds., Harrison's Principles of Internal Medicine, 18th ed., vol. 2, pp. 1992–1997. New York: McGraw-Hill.
- Hawkins M, Rossetti L (2005). Insulin resistance and its role in the pathogenesis of type 2 diabetes. In Joslin's Diabetes Mellitus, 14th ed., pp. 425–448. Philadelphia: Lippincott Williams and Wilkins.
- Masharani U, German MS (2011). Pancreatic hormones and diabetes mellitus. In DG Gardner, D Shoback, eds., Greenspan's Basic and Clinical Endocrinology, 9th ed., pp. 573–655. New York: McGraw-Hill.

Current as of: March 31, 2020

Author: Healthwise Staff

Medical Review:

E. Gregory Thompson MD - Internal Medicine

Kathleen Romito MD - Family Medicine

Jennifer Hone MD - Endocrinology, Diabetes and Metabolism

All Cigna products and services are provided exclusively by or through operating subsidiaries of Cigna Corporation, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation. The Cigna name, logo, and other Cigna marks are owned by Cigna Intellectual Property, Inc.

© 2020 Cigna. Some content provided under license