



Fax completed form to: (855) 840-1678

If this is an URGENT request, please call (800) 882-4462 (800.88.CIGNA)

Aranesp

(darbepoetin alfa in albumn sol)

PHYSICIAN INFORMATION			PATIENT INFORMATION		
* Physician Name:			*Due to privacy regulations we will not be able to respond via fax with the outcome of our review unless all asterisked (*) items on this form are completed.*		
Specialty:	* DEA, NPI or TIN:				
Office Contact Person:			* Patient Name:		
Office Phone:			* Cigna ID:	* Date of Birth:	
Office Fax:			* Patient Street Address:		
Office Street Address:			City:	State:	Zip:
City:	State:	Zip:	Patient Phone:		

Urgency: Standard Urgent (In checking this box, I attest to the fact that applying the standard review time frame may seriously jeopardize the customer's life, health, or ability to regain maximum function)**Medication requested:** Aranesp

Other (please specify):

Strength:

Dosing schedule:

J-Code:

ICD10:

Number of Injections per month:

Expected duration:

Patient's weight:

Where will this medication be obtained? Accredo Specialty Pharmacy** Hospital Outpatient Retail pharmacy Other (please specify): Home Health / Home Infusion vendor Physician's office stock (billing on a medical claim form)****Cigna's nationally preferred specialty pharmacy**

****Medication orders can be placed with Accredo via E-prescribe - Accredo (1620 Century Center Pkwy, Memphis, TN 38134-8822 | NCPDP 4436920), Fax 888.302.1028, or Verbal 866.759.1557**

Facility and/or doctor dispensing and administering medication:

Facility Name:

State:

Tax ID#:

Address (City, State, Zip Code):

Where will this drug be administered? Patient's Home Hospital Outpatient Physician's Office Other (please specify):

NOTE: Per some Cigna plans, infusion of medication MUST occur in the least intensive, medically appropriate setting.

Is this patient a candidate for re-direction to an alternate setting (such as alternate infusion site, physician's office, home) with assistance of a Specialty Care Options Case Manager? Yes No (provide medical necessity rationale):

Is the requested medication for a chronic or long-term condition for which the prescription medication may be necessary for the life of the patient? Yes No

What is your patient's diagnosis? Anemia in a Patient with Chronic Kidney Disease who is ON Dialysis Anemia in a Patient with Chronic Kidney Disease who is NOT on Dialysis Anemia in a Patient with Cancer due to Myelosuppressive Cancer Chemotherapy Anemia Associated with Cancer in a Patient NOT Receiving Myelosuppressive Cancer Chemotherapy Anemia Associated with Acute Myelogenous Leukemias (AML), Chronic Myelogenous Leukemias (CML), or other Myeloid Cancers Anemia Associated with Radiotherapy in Cancer Anemia Associated with Myelodysplastic Syndrome (MDS) Anemia Associated with Myelofibrosis To Enhance Athletic Performance Anemia due to Acute Blood Loss Other:

(if other) Please provide the patient's diagnosis or reason for treatment.

Clinical Information:

(if CKD NOT on Dialysis) Is this initial therapy or is the patient currently receiving Currently Receiving an Erythropoiesis-Stimulating Agent? Note: Examples of erythropoiesis-stimulating agents include an epoetin alfa product (for example, Epogen, Procrit, or Retacrit), a darbepoetin alfa product (for example, Aranesp), or a methoxy polyethylene glycol-epoetin beta product (for example, Mircera).

- Initial therapy
 Currently receiving an Erythropoiesis-Stimulating Agent
 None of the above

(if Myelosuppressive Chemo, MDS, Myelofibrosis) Is this initial therapy or is the patient currently receiving Currently Receiving an Erythropoiesis-Stimulating Agent? Note: Examples of erythropoiesis-stimulating agents include an epoetin alfa product (for example, Epogen, Procrit, or Retacrit) or a darbepoetin alfa product (for example, Aranesp).

- Initial therapy
 Currently receiving an Erythropoiesis-Stimulating Agent
 None of the above

(if CURRENTLY receiving CKD NOT on Dialysis, Myelosuppressive Chemo, MDS, Myelofibrosis) Which of the following best applies to your patient's hemoglobin?

- hemoglobin is 12 g/dL or less
 hemoglobin is 12.1 g/dL or higher
 Unknown

(if CKD NOT on Dialysis, Myelosuppressive Chemo, MDS, Myelofibrosis) Is the patient currently receiving iron therapy?

- Yes No
 Yes No

(if no) According to the prescriber, does the patient have adequate iron stores?

(if CKD NOT on Dialysis, 17 yr or younger) Which of the following best applies to your patient's hemoglobin?

- hemoglobin is 11 g/dL or less
 hemoglobin is 11.1 g/dL or higher
 Unknown

(if CKD NOT on Dialysis, 18 yr or older) Which of the following best applies to your patient's hemoglobin?

- hemoglobin is 9.9 g/dL or less
 hemoglobin is 10 g/dL or higher
 Unknown

(if Myelosuppressive Chemo) Is the patient currently receiving myelosuppressive chemotherapy?

- Yes No

(if yes) According to the prescriber, is the myelosuppressive chemotherapy considered non-curative?

- Yes No

(if Myelosuppressive Chemo) Which of the following best applies to your patient's hemoglobin?

- hemoglobin is 9.9 g/dL or less
 hemoglobin is 10 g/dL or higher
 Unknown

(if MDS/Myelofibrosis) Which of the following best applies to your patient's hemoglobin?

- hemoglobin is less than 10.0 g/dL
 hemoglobin is 10.1 g/dL or higher
 Unknown

(if not met) Which of the following best applies to your patient's serum erythropoietin level?

- serum erythropoietin level is 500 mU/ml or less
 serum erythropoietin level is 500.1 mU/ml or higher
 Unknown

(if MDS, Myelofibrosis) Is the requested medication being prescribed by (or in consultation with) a hematologist or oncologist?

- Yes No

(if Myelofibrosis) According to the prescriber, has the patient responded to therapy which is defined as a hemoglobin of at least 10 g/dL?

- Yes No

(if no) Is your patient's current hemoglobin at least 2 g/dL higher than their pretreatment hemoglobin?

- Yes No

Additional Pertinent Information:

Attestation: I attest the information provided is true and accurate to the best of my knowledge. I understand that the Health Plan or insurer its designees may perform a routine audit and request the medical information necessary to verify the accuracy of the information reported on this form.

Prescriber Signature: _____ **Date:** _____

Save Time! Submit Online at: www.covermy meds.com/main/prior-authorization-forms/cigna/ or via SureScripts in your EHR.

Our standard response time for prescription drug coverage requests is 5 business days. If your request is urgent, it is important that you call us to expedite the request. View our Prescription Drug List and Coverage Policies online at cigna.com.

v101524

"Cigna" is a registered service mark, and the "Tree of Life" logo is a service mark, of Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries and not by Cigna Corporation. Such operating subsidiaries include, for example, Cigna Health and Life Insurance Company and Cigna Health Management, Inc. Address: Cigna Pharmacy Services, PO Box 42005, Phoenix AZ 85080-2005